

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029684.D
 Acq On : 26 Feb 2019 16:10
 Operator : JC/SP
 Sample : K1621-09
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 27 02:59:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 27 01:53:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	464953	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	445734	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	217109	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	146400	42.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.94%
7) Chloroethane-d5	1.68	69	131955	43.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.14%
11) 1,1-Dichloroethene-d2	2.27	63	218080	32.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.50%
21) 2-Butanone-d5	4.17	46	212969	102.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.72%
24) Chloroform-d	4.65	84	266963	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.62%
26) 1,2-Dichloroethane-d4	5.31	65	177733	50.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.60%
32) Benzene-d6	5.34	84	601568	53.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.28%
36) 1,2-Dichloropropane-d6	6.33	67	185672	55.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.04%
41) Toluene-d8	7.56	98	563785	49.26	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.52%
43) trans-1,3-Dichloropropene-	7.85	79	85271	47.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.28%
47) 2-Hexanone-d5	8.31	63	168781	89.82	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.82%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	278118	48.78	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.56%
64) 1,2-Dichlorobenzene-d4	11.86	152	234446	50.11	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.22%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029684.D
Acq On : 26 Feb 2019 16:10
Operator : JC/SP
Sample : K1621-09
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 27 02:59:03 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 27 01:53:00 2019
Response via : Initial Calibration

