

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029686.D
 Acq On : 26 Feb 2019 16:56
 Operator : JC/SP
 Sample : K1621-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Feb 27 03:02:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 27 01:53:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	463328	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	446603	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	214860	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	145504	42.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.72%
7) Chloroethane-d5	1.68	69	132369	43.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.72%
11) 1,1-Dichloroethene-d2	2.27	63	211529	31.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.74%
21) 2-Butanone-d5	4.17	46	214852	103.99	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.99%
24) Chloroform-d	4.64	84	280149	50.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.76%
26) 1,2-Dichloroethane-d4	5.31	65	179385	51.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.90%
32) Benzene-d6	5.34	84	612501	54.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.00%
36) 1,2-Dichloropropane-d6	6.33	67	188966	55.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	111.78%
41) Toluene-d8	7.56	98	567796	49.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.02%
43) trans-1,3-Dichloropropene-	7.85	79	85684	47.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.56%
47) 2-Hexanone-d5	8.31	63	170239	90.42	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.42%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	283462	49.62	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.24%
64) 1,2-Dichlorobenzene-d4	11.86	152	239238	51.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.34%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029686.D
Acq On : 26 Feb 2019 16:56
Operator : JC/SP
Sample : K1621-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Feb 27 03:02:49 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 27 01:53:00 2019
Response via : Initial Calibration

