

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029687.D
 Acq On : 26 Feb 2019 17:19
 Operator : JC/SP
 Sample : K1621-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 27 03:04:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 27 01:53:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	463942	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	447090	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	216310	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	144005	42.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.72%
7) Chloroethane-d5	1.68	69	132525	43.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.70%
11) 1,1-Dichloroethene-d2	2.27	63	205935	30.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.98%
21) 2-Butanone-d5	4.17	46	217735	105.25	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.25%
24) Chloroform-d	4.64	84	265322	48.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.24%
26) 1,2-Dichloroethane-d4	5.31	65	179293	51.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.72%
32) Benzene-d6	5.34	84	612805	54.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.94%
36) 1,2-Dichloropropane-d6	6.33	67	187432	55.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.76%
41) Toluene-d8	7.56	98	572129	49.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.66%
43) trans-1,3-Dichloropropene-	7.85	79	86829	48.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.72%
47) 2-Hexanone-d5	8.31	63	173342	91.97	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.97%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	283380	49.55	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.10%
64) 1,2-Dichlorobenzene-d4	11.86	152	237721	51.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.00%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029687.D
Acq On : 26 Feb 2019 17:19
Operator : JC/SP
Sample : K1621-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 27 03:04:39 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 27 01:53:00 2019
Response via : Initial Calibration

