

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029697.D
 Acq On : 26 Feb 2019 21:11
 Operator : JC/SP
 Sample : K1625-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Feb 27 03:27:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 27 01:53:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	463791	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	443819	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	213985	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	136382	40.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.26%
7) Chloroethane-d5	1.68	69	127551	42.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.44%
11) 1,1-Dichloroethene-d2	2.27	63	198217	29.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	59.68%#
21) 2-Butanone-d5	4.17	46	264391	127.84	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	127.84%
24) Chloroform-d	4.65	84	279771	50.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.52%
26) 1,2-Dichloroethane-d4	5.31	65	178444	51.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.26%
32) Benzene-d6	5.34	84	592763	53.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.16%
36) 1,2-Dichloropropane-d6	6.33	67	185973	55.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.70%
41) Toluene-d8	7.56	98	554206	48.63	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.26%
43) trans-1,3-Dichloropropene-	7.85	79	80701	45.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.56%
47) 2-Hexanone-d5	8.31	63	215522	115.19	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	115.19%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	295567	52.06	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.12%
64) 1,2-Dichlorobenzene-d4	11.86	152	228990	49.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.32%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029697.D
Acq On : 26 Feb 2019 21:11
Operator : JC/SP
Sample : K1625-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Feb 27 03:27:19 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 27 01:53:00 2019
Response via : Initial Calibration

