

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029714.D
 Acq On : 27 Feb 2019 19:13
 Operator : JC/SP
 Sample : K1625-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 38 Sample Multiplier: 1

Quant Time: Feb 28 03:04:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 28 00:50:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	438989	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	425921	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	207879	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	148499	46.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.32%
7) Chloroethane-d5	1.68	69	127085	44.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.88%
11) 1,1-Dichloroethene-d2	2.27	63	219589	34.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.84%
21) 2-Butanone-d5	4.17	46	223782	114.32	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.32%
24) Chloroform-d	4.64	84	265758	50.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.88%
26) 1,2-Dichloroethane-d4	5.31	65	167403	50.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.36%
32) Benzene-d6	5.34	84	581160	54.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.46%
36) 1,2-Dichloropropane-d6	6.33	67	175579	54.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	108.90%
41) Toluene-d8	7.56	98	546474	49.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.92%
43) trans-1,3-Dichloropropene-	7.85	79	82561	48.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.54%
47) 2-Hexanone-d5	8.31	63	184834	102.94	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.94%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	266217	48.86	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.72%
64) 1,2-Dichlorobenzene-d4	11.86	152	228109	50.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.84%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029714.D
Acq On : 27 Feb 2019 19:13
Operator : JC/SP
Sample : K1625-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 38 Sample Multiplier: 1

Quant Time: Feb 28 03:04:12 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 28 00:50:18 2019
Response via : Initial Calibration

