

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029717.D
 Acq On : 27 Feb 2019 20:23
 Operator : JC/SP
 Sample : K1625-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 41 Sample Multiplier: 1

Quant Time: Feb 28 03:11:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 28 00:50:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	441183	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	427159	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	199388	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	143902	44.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.02%
7) Chloroethane-d5	1.68	69	126046	43.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.72%
11) 1,1-Dichloroethene-d2	2.27	63	203122	32.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.28%
21) 2-Butanone-d5	4.17	46	260444	132.38	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	132.38%#
24) Chloroform-d	4.65	84	268145	51.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.28%
26) 1,2-Dichloroethane-d4	5.31	65	168274	50.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.38%
32) Benzene-d6	5.34	84	581269	54.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.16%
36) 1,2-Dichloropropane-d6	6.33	67	179475	55.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	111.00%
41) Toluene-d8	7.56	98	546369	49.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.62%
43) trans-1,3-Dichloropropene-	7.85	79	80522	46.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.88%
47) 2-Hexanone-d5	8.31	63	231290	128.44	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	128.44%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	278260	50.93	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.86%
64) 1,2-Dichlorobenzene-d4	11.86	152	220158	51.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.48%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029717.D
Acq On : 27 Feb 2019 20:23
Operator : JC/SP
Sample : K1625-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 41 Sample Multiplier: 1

Quant Time: Feb 28 03:11:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 28 00:50:18 2019
Response via : Initial Calibration

