

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029705.D
 Acq On : 27 Feb 2019 15:21
 Operator : JC/SP
 Sample : K1623-05 100X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.183	24	29	35	rVB2	8091	7352	0.08%	0.023%
2	1.396	88	95	107	rBV	261389	266944	2.91%	0.829%
3	1.679	174	183	200	rBV	194206	252688	2.75%	0.785%
4	2.270	356	367	381	rVB	439277	663086	7.23%	2.060%
5	2.450	415	423	427	rBV4	1306	1930	0.02%	0.006%
6	2.601	466	470	472	rBV2	618	459	0.01%	0.001%
7	2.630	477	479	483	rVB2	553	383	0.00%	0.001%
8	2.698	493	500	505	rBV3	1391	1879	0.02%	0.006%
9	2.791	524	529	533	rVB4	428	333	0.00%	0.001%
10	2.942	571	576	580	rVB2	418	356	0.00%	0.001%
11	2.978	583	587	592	rBV3	694	659	0.01%	0.002%
12	3.007	593	596	599	rVV2	532	258	0.00%	0.001%
13	3.080	615	619	623	rVV	262	247	0.00%	0.001%
14	3.109	625	628	634	rVV2	288	283	0.00%	0.001%
15	3.302	686	688	691	rVB3	578	308	0.00%	0.001%
16	3.486	740	745	750	rBV3	425	520	0.01%	0.002%
17	3.621	785	787	792	rVB3	512	421	0.00%	0.001%
18	3.653	792	797	799	rBV2	419	326	0.00%	0.001%
19	3.724	814	819	824	rVB2	254	305	0.00%	0.001%
20	3.756	824	829	831	rBV2	420	366	0.00%	0.001%
21	3.949	881	889	892	rBV3	391	580	0.01%	0.002%
22	3.981	895	899	903	rBV2	394	387	0.00%	0.001%
23	4.029	912	914	920	rVB3	416	317	0.00%	0.001%
24	4.080	925	930	943	rVB5	1755	3422	0.04%	0.011%
25	4.174	945	959	988	rBV	163749	425372	4.64%	1.322%
26	4.447	1041	1044	1047	rBV3	618	484	0.01%	0.002%
27	4.646	1088	1106	1139	rVV	283370	702082	7.65%	2.182%
28	4.833	1161	1164	1166	rBV2	523	349	0.00%	0.001%
29	4.846	1166	1168	1171	rVB2	689	317	0.00%	0.001%
30	4.871	1171	1176	1177	rBV3	659	618	0.01%	0.002%
31	4.955	1200	1202	1204	rVV	535	285	0.00%	0.001%
32	4.990	1207	1213	1226	rVB7	1650	3652	0.04%	0.011%
33	5.051	1226	1232	1235	rBV2	329	348	0.00%	0.001%
34	5.138	1246	1259	1270	rBV4	4007	9561	0.10%	0.030%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029705.D
 Acq On : 27 Feb 2019 15:21
 Operator : JC/SP
 Sample : K1623-05 100X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

35	5.338	1297	1321	1329	rBV2	613593	1779807	19.40%	5.531%
36	5.704	1431	1435	1438	rBV3	448	344	0.00%	0.001%
37	5.730	1438	1443	1446	rVB3	613	534	0.01%	0.002%
38	5.752	1446	1450	1451	rBV2	434	296	0.00%	0.001%
39	5.785	1457	1460	1463	rBV2	603	484	0.01%	0.002%
40	5.884	1476	1491	1514	rBV	510740	1015771	11.07%	3.156%
41	6.100	1555	1558	1561	rVB2	433	250	0.00%	0.001%
42	6.167	1574	1579	1580	rBV2	1962	1414	0.02%	0.004%
43	6.225	1594	1597	1601	rVB3	532	428	0.00%	0.001%
44	6.328	1615	1629	1650	rBV	382547	775324	8.45%	2.409%
45	6.534	1686	1693	1697	rVB3	684	742	0.01%	0.002%
46	6.646	1722	1728	1730	rBV	448	425	0.00%	0.001%
47	6.666	1730	1734	1736	rBV3	302	277	0.00%	0.001%
48	6.752	1759	1761	1765	rBV3	331	306	0.00%	0.001%
49	7.145	1880	1883	1889	rBV2	462	495	0.01%	0.002%
50	7.225	1894	1908	1932	rBV	224488	411266	4.48%	1.278%
51	7.431	1968	1972	1977	rVB2	494	489	0.01%	0.002%
52	7.563	1999	2013	2033	rBV	858592	1522445	16.59%	4.731%
53	7.846	2089	2101	2123	rBV	155603	271116	2.96%	0.842%
54	8.116	2183	2185	2188	rVB	521	248	0.00%	0.001%
55	8.145	2188	2194	2196	rBV4	300	295	0.00%	0.001%
56	8.161	2197	2199	2202	rBV3	656	503	0.01%	0.002%
57	8.225	2216	2219	2225	rVB4	1356	1372	0.01%	0.004%
58	8.309	2233	2245	2285	rBV	576818	1031804	11.25%	3.206%
59	8.550	2316	2320	2321	rBV2	524	322	0.00%	0.001%
60	8.646	2346	2350	2352	rBV3	616	443	0.00%	0.001%
61	8.723	2370	2374	2381	rBV4	271	399	0.00%	0.001%
62	8.842	2408	2411	2415	rVB3	458	337	0.00%	0.001%
63	8.891	2423	2426	2429	rBV	356	294	0.00%	0.001%
64	9.022	2461	2467	2468	rBV	277	277	0.00%	0.001%
65	9.116	2474	2496	2536	rBV2	4874649	9174126	100.00%	28.507%
66	9.376	2573	2577	2579	rBV2	966	804	0.01%	0.002%
67	9.460	2599	2603	2607	rBV4	524	597	0.01%	0.002%
68	9.495	2612	2614	2620	rVB3	468	409	0.00%	0.001%
69	9.598	2642	2646	2648	rBV3	354	281	0.00%	0.001%
70	9.784	2698	2704	2707	rBV3	1210	1291	0.01%	0.004%
71	9.845	2720	2723	2726	rBV2	341	253	0.00%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029705.D
 Acq On : 27 Feb 2019 15:21
 Operator : JC/SP
 Sample : K1623-05 100X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis


72	9.916	2743	2745	2749	rVB2	499	264	0.00%	0.001%
73	9.945	2749	2754	2759	rBV3	401	394	0.00%	0.001%
74	9.977	2762	2764	2771	rVB2	292	264	0.00%	0.001%
75	10.013	2771	2775	2779	rBV2	351	290	0.00%	0.001%
76	10.154	2815	2819	2820	rBV2	433	329	0.00%	0.001%
77	10.167	2820	2823	2829	rVB	1045	1038	0.01%	0.003%
78	10.427	2891	2904	2924	rVV	600167	956158	10.42%	2.971%
79	10.601	2953	2958	2969	rVB3	2677	4254	0.05%	0.013%
80	10.990	3075	3079	3083	rBV3	273	280	0.00%	0.001%
81	11.087	3107	3109	3115	rVB2	538	429	0.00%	0.001%
82	11.218	3149	3150	3158	rVB3	337	377	0.00%	0.001%
83	11.283	3166	3170	3174	rBV2	409	465	0.01%	0.001%
84	11.415	3199	3211	3221	rBV	269771	427004	4.65%	1.327%
85	11.505	3221	3239	3269	rVB2	2466434	5083900	55.42%	15.798%
86	11.874	3335	3354	3381	rBV2	3317639	6424123	70.02%	19.962%
87	12.424	3522	3525	3530	rVB2	576	432	0.00%	0.001%
88	12.479	3530	3542	3553	rBV2	5354	9005	0.10%	0.028%
89	12.550	3561	3564	3568	rBV2	474	271	0.00%	0.001%
90	12.611	3577	3583	3584	rBV2	408	407	0.00%	0.001%
91	12.643	3585	3593	3601	rVB9	1781	2829	0.03%	0.009%
92	12.733	3618	3621	3625	rBV3	370	296	0.00%	0.001%
93	12.894	3665	3671	3685	rVB5	2156	3431	0.04%	0.011%
94	13.077	3726	3728	3733	rBV2	331	265	0.00%	0.001%
95	13.501	3848	3860	3892	rBV	418939	726837	7.92%	2.259%
96	13.987	4000	4011	4040	rBV	98162	189133	2.06%	0.588%
97	14.247	4088	4092	4094	rBV4	1054	774	0.01%	0.002%
98	14.276	4097	4101	4109	rVB3	2642	3299	0.04%	0.010%
99	14.340	4117	4121	4126	rBV3	1109	998	0.01%	0.003%
100	14.463	4155	4159	4162	rBV2	806	901	0.01%	0.003%

Sum of corrected areas: 32181592

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029705.D
Acq On : 27 Feb 2019 15:21
Operator : JC/SP
Sample : K1623-05 100X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_U\DATA\VU022719\
Data File : VU029705.D
Acq On : 27 Feb 2019 15:21
Operator : JC/SP
Sample : K1623-05 100X
Misc : 5.0mL/MSV0A_U/WATER
ALS Vial : 28 Sample Multiplier: 1

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU022719\
Data File : VU029705.D
Acq On : 27 Feb 2019 15:21
Operator : JC/SP
Sample : K1623-05 100X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 28 Sample Multiplier: 1

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
