

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029706.D
 Acq On : 27 Feb 2019 15:44
 Operator : JC/SP
 Sample : K1625-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.183	24	29	37	rVB2	7368	7153	0.43%	0.053%
2	1.396	88	95	107	rBV	243832	249949	15.11%	1.859%
3	1.679	175	183	199	rVB	187929	235171	14.22%	1.749%
4	2.270	356	367	379	rVB	395900	603725	36.51%	4.490%
5	2.470	424	429	432	rBV3	802	863	0.05%	0.006%
6	2.617	473	475	479	rVB2	294	213	0.01%	0.002%
7	2.695	491	499	500	rBV2	1014	935	0.06%	0.007%
8	2.830	531	541	556	rVB2	2957	6251	0.38%	0.046%
9	3.032	601	604	606	rBV2	289	197	0.01%	0.001%
10	3.190	647	653	655	rBV2	240	227	0.01%	0.002%
11	3.228	660	665	667	rBV	422	310	0.02%	0.002%
12	3.273	676	679	683	rVV2	457	288	0.02%	0.002%
13	3.386	710	714	717	rBV2	285	200	0.01%	0.001%
14	3.447	729	733	738	rBV3	562	548	0.03%	0.004%
15	3.486	742	745	748	rBV2	402	299	0.02%	0.002%
16	3.505	748	751	754	rVB2	491	308	0.02%	0.002%
17	3.547	758	764	767	rBV3	300	356	0.02%	0.003%
18	3.576	769	773	778	rVB3	426	514	0.03%	0.004%
19	3.601	778	781	783	rBV	553	388	0.02%	0.003%
20	3.672	799	803	807	rBV3	307	243	0.01%	0.002%
21	3.695	807	810	813	rBV3	315	218	0.01%	0.002%
22	3.756	823	829	834	rBV2	529	610	0.04%	0.005%
23	3.839	851	855	861	rBV3	298	312	0.02%	0.002%
24	3.900	870	874	878	rBV2	350	352	0.02%	0.003%
25	3.965	886	894	899	rBV4	496	601	0.04%	0.004%
26	3.990	899	902	906	rBV	489	406	0.02%	0.003%
27	4.174	944	959	990	rBV	146177	392171	23.72%	2.917%
28	4.643	1088	1105	1141	rBV	267293	644729	38.99%	4.795%
29	4.820	1156	1160	1161	rBV4	370	224	0.01%	0.002%
30	4.887	1169	1181	1182	rBV5	1288	2029	0.12%	0.015%
31	4.997	1202	1215	1220	rBV5	931	1746	0.11%	0.013%
32	5.029	1223	1225	1229	rVB	411	281	0.02%	0.002%
33	5.048	1229	1231	1236	rBV2	315	236	0.01%	0.002%
34	5.100	1244	1247	1250	rBV2	353	283	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029706.D
 Acq On : 27 Feb 2019 15:44
 Operator : JC/SP
 Sample : K1625-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

35	5.132	1254	1257	1262	rVB3	414	368	0.02%	0.003%
36	5.338	1296	1321	1357	rBV2	565352	1653660	100.00%	12.300%
37	5.572	1391	1394	1398	rBV2	329	217	0.01%	0.002%
38	5.656	1417	1420	1423	rBV3	390	318	0.02%	0.002%
39	5.743	1444	1447	1450	rBV2	460	343	0.02%	0.003%
40	5.772	1454	1456	1462	rVB2	439	297	0.02%	0.002%
41	5.804	1464	1466	1468	rBV2	358	255	0.02%	0.002%
42	5.884	1477	1491	1517	rBV	504396	1000076	60.48%	7.438%
43	6.177	1574	1582	1586	rBV6	1660	2344	0.14%	0.017%
44	6.328	1613	1629	1650	rBV	354468	719369	43.50%	5.351%
45	6.595	1708	1712	1714	rBV	477	374	0.02%	0.003%
46	6.775	1766	1768	1774	rVB3	371	312	0.02%	0.002%
47	6.807	1774	1778	1779	rBV2	370	195	0.01%	0.001%
48	6.839	1784	1788	1791	rVB3	302	270	0.02%	0.002%
49	6.945	1817	1821	1822	rBV2	387	212	0.01%	0.002%
50	7.038	1847	1850	1853	rBV2	348	226	0.01%	0.002%
51	7.058	1853	1856	1864	rVB3	248	220	0.01%	0.002%
52	7.106	1864	1871	1874	rBV	387	492	0.03%	0.004%
53	7.225	1895	1908	1935	rBV	208233	379907	22.97%	2.826%
54	7.447	1973	1977	1979	rBV2	435	310	0.02%	0.002%
55	7.563	2000	2013	2032	rBV	799127	1400146	84.67%	10.414%
56	7.845	2087	2101	2122	rBV2	140709	248949	15.05%	1.852%
57	8.061	2161	2168	2170	rBV2	675	687	0.04%	0.005%
58	8.119	2183	2186	2190	rBV2	625	508	0.03%	0.004%
59	8.177	2192	2204	2216	rVV	31130	56168	3.40%	0.418%
60	8.228	2216	2220	2228	rVB5	1066	1180	0.07%	0.009%
61	8.308	2234	2245	2284	rBV	510878	919242	55.59%	6.837%
62	8.469	2288	2295	2317	rVB5	10847	21597	1.31%	0.161%
63	8.688	2360	2363	2364	rBV2	362	218	0.01%	0.002%
64	8.726	2371	2375	2377	rBV3	505	442	0.03%	0.003%
65	8.890	2422	2426	2428	rBV	477	338	0.02%	0.003%
66	8.961	2445	2448	2451	rBV2	324	268	0.02%	0.002%
67	9.087	2474	2487	2528	rBV	741300	1284047	77.65%	9.551%
68	9.379	2571	2578	2579	rBV3	961	1062	0.06%	0.008%
69	9.427	2590	2593	2595	rBV2	423	272	0.02%	0.002%
70	9.607	2645	2649	2652	rBV2	500	370	0.02%	0.003%
71	9.788	2696	2705	2714	rBV7	3202	6562	0.40%	0.049%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029706.D
 Acq On : 27 Feb 2019 15:44
 Operator : JC/SP
 Sample : K1625-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis


72	9.926	2740	2748	2750	rBV4	777	971	0.06%	0.007%
73	9.990	2765	2768	2770	rBV4	526	386	0.02%	0.003%
74	10.042	2777	2784	2791	rBV6	1374	1909	0.12%	0.014%
75	10.106	2798	2804	2806	rBV3	395	367	0.02%	0.003%
76	10.427	2891	2904	2926	rVV	546253	876798	53.02%	6.521%
77	10.553	2940	2943	2945	rBV2	496	383	0.02%	0.003%
78	10.566	2945	2947	2948	rVV	676	355	0.02%	0.003%
79	10.604	2949	2959	2975	rVV	31621	53467	3.23%	0.398%
80	10.733	2996	2999	3002	rVB2	373	243	0.01%	0.002%
81	10.958	3067	3069	3072	rVB2	350	195	0.01%	0.001%
82	11.132	3120	3123	3124	rBV	360	238	0.01%	0.002%
83	11.154	3127	3130	3132	rBV2	685	505	0.03%	0.004%
84	11.328	3181	3184	3187	rBV	369	263	0.02%	0.002%
85	11.376	3196	3199	3201	rBV2	735	504	0.03%	0.004%
86	11.418	3206	3212	3220	rVV3	3974	5317	0.32%	0.040%
87	11.479	3220	3231	3257	rVV	753611	1259057	76.14%	9.365%
88	11.762	3313	3319	3326	rBV8	1876	3098	0.19%	0.023%
89	11.858	3336	3349	3371	rBV	793193	1337221	80.86%	9.946%
90	12.193	3450	3453	3456	rBV3	698	430	0.03%	0.003%
91	12.234	3464	3466	3467	rBV	398	197	0.01%	0.001%
92	12.479	3535	3542	3554	rVB	7319	11641	0.70%	0.087%
93	12.672	3599	3602	3604	rBV3	505	392	0.02%	0.003%
94	12.894	3665	3671	3676	rBV5	1433	1821	0.11%	0.014%
95	12.971	3693	3695	3699	rBV2	363	282	0.02%	0.002%
96	13.193	3761	3764	3767	rBV2	398	327	0.02%	0.002%
97	13.511	3854	3863	3874	rBV6	6981	15395	0.93%	0.115%
98	13.993	4004	4013	4018	rBV5	3056	4784	0.29%	0.036%
99	14.276	4092	4101	4113	rVV2	7838	13666	0.83%	0.102%
100	14.321	4113	4115	4119	rVB2	585	420	0.03%	0.003%

Sum of corrected areas: 13444789

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029706.D
Acq On : 27 Feb 2019 15:44
Operator : JC/SP
Sample : K1625-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU022719\
Data File : VU029706.D
Acq On : 27 Feb 2019 15:44
Operator : JC/SP
Sample : K1625-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU022719\
Data File : VU029706.D
Acq On : 27 Feb 2019 15:44
Operator : JC/SP
Sample : K1625-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
