

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029718.D
 Acq On : 27 Feb 2019 20:46
 Operator : JC/SP
 Sample : K1625-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 42 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.183	24	29	35	rBV	8910	7816	0.49%	0.060%
2	1.395	88	95	105	rBV	225949	232084	14.40%	1.772%
3	1.518	129	133	138	rBV	4735	5590	0.35%	0.043%
4	1.678	175	183	201	rVB	178319	224549	13.94%	1.715%
5	2.270	357	367	380	rVB	400913	598174	37.13%	4.568%
6	2.514	440	443	444	rBV2	519	334	0.02%	0.003%
7	2.637	479	481	486	rVB2	516	417	0.03%	0.003%
8	2.685	492	496	497	rBV	817	524	0.03%	0.004%
9	2.788	522	528	532	rBV3	559	614	0.04%	0.005%
10	2.833	532	542	555	rVV5	1831	3966	0.25%	0.030%
11	2.987	587	590	594	rVB3	452	287	0.02%	0.002%
12	3.080	614	619	622	rVV2	277	313	0.02%	0.002%
13	3.161	639	644	646	rVB	303	269	0.02%	0.002%
14	3.193	651	654	659	rVB2	383	360	0.02%	0.003%
15	3.222	659	663	668	rVB2	517	440	0.03%	0.003%
16	3.289	679	684	688	rVB3	352	280	0.02%	0.002%
17	3.318	688	693	698	rVB3	395	374	0.02%	0.003%
18	3.344	698	701	704	rBV2	385	296	0.02%	0.002%
19	3.392	711	716	718	rVB2	333	314	0.02%	0.002%
20	3.489	742	746	749	rBV2	266	259	0.02%	0.002%
21	3.566	766	770	772	rBV2	318	246	0.02%	0.002%
22	3.611	779	784	789	rBV2	471	363	0.02%	0.003%
23	3.636	789	792	796	rBV2	388	339	0.02%	0.003%
24	3.665	796	801	806	rBV3	298	287	0.02%	0.002%
25	3.871	860	865	869	rVB2	244	336	0.02%	0.003%
26	3.907	874	876	886	rVB2	354	317	0.02%	0.002%
27	3.997	900	904	906	rBV2	792	663	0.04%	0.005%
28	4.173	947	959	1003	rBV	168077	458543	28.46%	3.502%
29	4.556	1076	1078	1083	rVB3	434	288	0.02%	0.002%
30	4.582	1083	1086	1089	rBV3	406	255	0.02%	0.002%
31	4.643	1089	1105	1138	rBV	263752	626067	38.86%	4.781%
32	4.871	1173	1176	1177	rBV2	522	318	0.02%	0.002%
33	4.987	1205	1212	1215	rVV3	1193	1277	0.08%	0.010%
34	5.003	1215	1217	1220	rVV2	635	381	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029718.D
 Acq On : 27 Feb 2019 20:46
 Operator : JC/SP
 Sample : K1625-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 42 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

35	5.029	1220	1225	1232	rVB3	443	443	0.03%	0.003%
36	5.128	1253	1256	1260	rBV2	317	243	0.02%	0.002%
37	5.157	1261	1265	1269	rBV3	287	260	0.02%	0.002%
38	5.337	1297	1321	1352	rBV2	551545	1611227	100.00%	12.304%
39	5.575	1392	1395	1401	rVB4	545	602	0.04%	0.005%
40	5.624	1407	1410	1414	rVB3	439	322	0.02%	0.002%
41	5.685	1425	1429	1436	rVB3	685	844	0.05%	0.006%
42	5.717	1436	1439	1440	rBV	445	261	0.02%	0.002%
43	5.884	1476	1491	1521	rBV	478387	952268	59.10%	7.272%
44	6.151	1570	1574	1576	rBV2	348	327	0.02%	0.002%
45	6.173	1576	1581	1583	rBV4	1074	1155	0.07%	0.009%
46	6.328	1614	1629	1650	rBV	347126	707676	43.92%	5.404%
47	6.659	1730	1732	1736	rVB4	433	271	0.02%	0.002%
48	6.694	1739	1743	1746	rVB2	390	306	0.02%	0.002%
49	6.752	1754	1761	1762	rBV2	391	328	0.02%	0.003%
50	6.771	1765	1767	1773	rVB3	354	296	0.02%	0.002%
51	6.868	1795	1797	1801	rVB2	389	264	0.02%	0.002%
52	6.890	1801	1804	1806	rBV2	456	360	0.02%	0.003%
53	6.926	1811	1815	1817	rBV	291	283	0.02%	0.002%
54	6.961	1822	1826	1830	rBV2	279	257	0.02%	0.002%
55	7.019	1840	1844	1850	rVB	285	361	0.02%	0.003%
56	7.090	1861	1866	1874	rVB3	526	640	0.04%	0.005%
57	7.225	1896	1908	1930	rBV2	199089	362804	22.52%	2.771%
58	7.562	1999	2013	2032	rBV	775318	1353521	84.01%	10.336%
59	7.845	2090	2101	2130	rBV	135199	243150	15.09%	1.857%
60	8.029	2156	2158	2162	rBV3	392	244	0.02%	0.002%
61	8.138	2189	2192	2193	rBV	564	284	0.02%	0.002%
62	8.177	2194	2204	2215	rVB2	15344	27012	1.68%	0.206%
63	8.247	2222	2226	2229	rBV4	449	416	0.03%	0.003%
64	8.308	2234	2245	2285	rBV	634065	1139827	70.74%	8.705%
65	8.832	2399	2408	2409	rBV3	328	398	0.02%	0.003%
66	8.877	2420	2422	2425	rVB	530	336	0.02%	0.003%
67	8.993	2454	2458	2462	rBV3	451	388	0.02%	0.003%
68	9.016	2462	2465	2469	rBV3	452	430	0.03%	0.003%
69	9.086	2474	2487	2512	rBV	700960	1177491	73.08%	8.992%
70	9.334	2562	2564	2570	rVB2	320	292	0.02%	0.002%
71	9.366	2570	2574	2575	rBV2	491	274	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029718.D
 Acq On : 27 Feb 2019 20:46
 Operator : JC/SP
 Sample : K1625-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 42 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis


72	9.437	2592	2596	2598	rBV2	377	260	0.02%	0.002%
73	9.659	2662	2665	2673	rVB3	676	823	0.05%	0.006%
74	9.775	2697	2701	2709	rBV3	814	1245	0.08%	0.010%
75	9.810	2709	2712	2714	rVB2	503	267	0.02%	0.002%
76	9.910	2738	2743	2748	rBV3	381	528	0.03%	0.004%
77	9.955	2753	2757	2760	rBV	563	392	0.02%	0.003%
78	10.000	2767	2771	2773	rBV3	462	302	0.02%	0.002%
79	10.064	2787	2791	2794	rBV2	415	401	0.02%	0.003%
80	10.157	2815	2820	2822	rBV2	551	462	0.03%	0.004%
81	10.427	2892	2904	2927	rBV	567617	916408	56.88%	6.998%
82	10.604	2950	2959	2970	rVB	15753	24439	1.52%	0.187%
83	10.701	2985	2989	2992	rBV3	467	410	0.03%	0.003%
84	10.819	3022	3026	3029	rBV	311	294	0.02%	0.002%
85	10.887	3044	3047	3050	rBV2	324	251	0.02%	0.002%
86	10.935	3057	3062	3068	rVB3	389	482	0.03%	0.004%
87	11.376	3195	3199	3202	rBV2	308	302	0.02%	0.002%
88	11.418	3204	3212	3218	rVV8	1232	1822	0.11%	0.014%
89	11.482	3220	3232	3258	rBV	688559	1119319	69.47%	8.548%
90	11.765	3311	3320	3331	rBV9	2792	5808	0.36%	0.044%
91	11.858	3336	3349	3376	rVV	763828	1255032	77.89%	9.584%
92	12.347	3496	3501	3507	rBV3	421	630	0.04%	0.005%
93	12.398	3514	3517	3523	rBV3	522	437	0.03%	0.003%
94	12.434	3523	3528	3531	rBV3	455	346	0.02%	0.003%
95	12.475	3531	3541	3552	rBV	5567	9424	0.58%	0.072%
96	12.861	3659	3661	3667	rBV3	414	398	0.02%	0.003%
97	13.337	3806	3809	3811	rBV2	656	460	0.03%	0.004%
98	13.691	3915	3919	3921	rBV3	595	444	0.03%	0.003%
99	13.823	3958	3960	3963	rBV	521	247	0.02%	0.002%
100	13.935	3992	3995	3998	rBV	350	246	0.02%	0.002%

Sum of corrected areas: 13094680

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029718.D
Acq On : 27 Feb 2019 20:46
Operator : JC/SP
Sample : K1625-13
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 42 Sample Multiplier: 1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU022719\
Data File : VU029718.D
Acq On : 27 Feb 2019 20:46
Operator : JC/SP
Sample : K1625-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 42 Sample Multiplier: 1

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU022719\
Data File : VU029718.D
Acq On : 27 Feb 2019 20:46
Operator : JC/SP
Sample : K1625-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 42 Sample Multiplier: 1

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
