

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029719.D
 Acq On : 27 Feb 2019 21:09
 Operator : JC/SP
 Sample : K1623-01DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.183	24	29	35	rBV2	8232	8088	0.30%	0.052%
2	1.286	54	61	69	rVB	63758	61272	2.26%	0.395%
3	1.395	88	95	111	rBV	236691	239812	8.84%	1.546%
4	1.678	175	183	201	rVB	178158	225997	8.33%	1.457%
5	1.884	242	247	255	rVB4	6429	7431	0.27%	0.048%
6	2.270	356	367	379	rBV	407120	603275	22.23%	3.888%
7	2.386	398	403	407	rBV4	1103	957	0.04%	0.006%
8	2.444	412	421	440	rVV2	10804	23234	0.86%	0.150%
9	2.521	444	445	450	rVB2	347	240	0.01%	0.002%
10	2.701	490	501	518	rVB2	14149	25073	0.92%	0.162%
11	2.788	524	528	532	rVB2	323	265	0.01%	0.002%
12	2.829	532	541	542	rBV3	2584	2817	0.10%	0.018%
13	2.987	580	590	591	rBV4	2070	2558	0.09%	0.016%
14	3.125	627	633	639	rBV4	547	575	0.02%	0.004%
15	3.170	641	647	649	rBV3	480	385	0.01%	0.002%
16	3.183	649	651	653	rBV2	427	240	0.01%	0.002%
17	3.296	683	686	689	rBV3	321	275	0.01%	0.002%
18	3.437	725	730	731	rBV3	544	467	0.02%	0.003%
19	3.518	751	755	759	rBV2	255	279	0.01%	0.002%
20	3.595	773	779	784	rBV2	520	621	0.02%	0.004%
21	3.643	790	794	799	rBV2	436	448	0.02%	0.003%
22	3.685	804	807	811	rVB	471	329	0.01%	0.002%
23	3.852	857	859	864	rVB2	370	241	0.01%	0.002%
24	3.964	891	894	901	rVB2	461	423	0.02%	0.003%
25	4.013	901	909	914	rBV2	511	649	0.02%	0.004%
26	4.173	946	959	993	rBV2	143345	396843	14.63%	2.558%
27	4.498	1058	1060	1064	rVB3	708	543	0.02%	0.003%
28	4.646	1088	1106	1137	rBV	266740	636785	23.47%	4.104%
29	4.874	1170	1177	1178	rBV2	1090	946	0.03%	0.006%
30	4.971	1202	1207	1208	rBV	1133	667	0.02%	0.004%
31	4.990	1208	1213	1214	rVV5	925	812	0.03%	0.005%
32	5.029	1224	1225	1229	rVB2	488	305	0.01%	0.002%
33	5.074	1235	1239	1242	rBV3	315	272	0.01%	0.002%
34	5.116	1249	1252	1254	rBV	703	538	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029719.D
 Acq On : 27 Feb 2019 21:09
 Operator : JC/SP
 Sample : K1623-01DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

35	5.132	1255	1257	1260	rBV3	498	299	0.01%	0.002%
36	5.186	1270	1274	1278	rBV2	492	439	0.02%	0.003%
37	5.337	1295	1321	1356	rBV2	550863	1641907	60.51%	10.583%
38	5.681	1425	1428	1432	rVB4	423	253	0.01%	0.002%
39	5.884	1476	1491	1515	rBV	480366	945281	34.84%	6.093%
40	6.080	1548	1552	1559	rVB3	639	815	0.03%	0.005%
41	6.180	1574	1583	1584	rBV5	2543	2849	0.10%	0.018%
42	6.328	1611	1629	1651	rBV2	348440	712170	26.25%	4.590%
43	6.533	1692	1693	1697	rVB3	361	243	0.01%	0.002%
44	6.633	1720	1724	1728	rBV2	571	458	0.02%	0.003%
45	6.749	1756	1760	1762	rVV3	595	455	0.02%	0.003%
46	6.768	1762	1766	1772	rVB4	798	864	0.03%	0.006%
47	6.823	1776	1783	1785	rBV2	552	438	0.02%	0.003%
48	6.935	1815	1818	1822	rVB3	435	362	0.01%	0.002%
49	6.958	1822	1825	1829	rBV2	557	490	0.02%	0.003%
50	6.980	1829	1832	1835	rBV3	309	255	0.01%	0.002%
51	7.035	1847	1849	1855	rVB2	578	482	0.02%	0.003%
52	7.132	1874	1879	1884	rBV2	384	418	0.02%	0.003%
53	7.170	1889	1891	1894	rBV	408	315	0.01%	0.002%
54	7.225	1895	1908	1934	rBV	204689	369566	13.62%	2.382%
55	7.460	1977	1981	1983	rBV4	1621	1263	0.05%	0.008%
56	7.562	2000	2013	2032	rBV	783597	1384139	51.01%	8.922%
57	7.845	2090	2101	2130	rBV2	138612	247599	9.13%	1.596%
58	7.996	2146	2148	2151	rVB3	442	263	0.01%	0.002%
59	8.067	2165	2170	2176	rBV5	1138	1451	0.05%	0.009%
60	8.173	2194	2203	2213	rBV2	4869	8926	0.33%	0.058%
61	8.228	2213	2220	2230	rVB5	2400	4019	0.15%	0.026%
62	8.308	2232	2245	2287	rBV	492735	902060	33.25%	5.814%
63	8.588	2328	2332	2340	rVB3	931	1030	0.04%	0.007%
64	8.704	2364	2368	2369	rBV2	411	250	0.01%	0.002%
65	8.765	2384	2387	2391	rVB2	423	282	0.01%	0.002%
66	8.894	2424	2427	2431	rVV2	295	246	0.01%	0.002%
67	9.086	2471	2487	2530	rBV2	720084	1381455	50.91%	8.904%
68	9.254	2534	2539	2543	rVB5	2072	2247	0.08%	0.014%
69	9.376	2569	2577	2587	rVB3	2985	5151	0.19%	0.033%
70	9.414	2587	2589	2592	rBV2	368	270	0.01%	0.002%
71	9.562	2628	2635	2639	rBV	488	506	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022719\
 Data File : VU029719.D
 Acq On : 27 Feb 2019 21:09
 Operator : JC/SP
 Sample : K1623-01DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis


72	9.620	2648	2653	2657	rBV2	503	584	0.02%	0.004%
73	9.713	2677	2682	2684	rBV2	447	361	0.01%	0.002%
74	9.784	2696	2704	2718	rBV5	3958	8701	0.32%	0.056%
75	9.955	2753	2757	2758	rBV3	569	396	0.01%	0.003%
76	10.096	2795	2801	2806	rBV2	409	568	0.02%	0.004%
77	10.170	2815	2824	2833	rBV4	3512	5151	0.19%	0.033%
78	10.427	2889	2904	2922	rBV	540911	872938	32.17%	5.627%
79	10.607	2952	2960	2971	rVB2	4898	7801	0.29%	0.050%
80	10.800	3018	3020	3023	rBV	420	280	0.01%	0.002%
81	10.958	3063	3069	3072	rBV3	356	453	0.02%	0.003%
82	11.086	3106	3109	3114	rBV3	528	479	0.02%	0.003%
83	11.199	3139	3144	3146	rBV3	403	380	0.01%	0.002%
84	11.418	3201	3212	3220	rBV	23891	38229	1.41%	0.246%
85	11.482	3220	3232	3260	rVB2	756208	1476347	54.41%	9.516%
86	11.868	3335	3352	3376	rBV2	1112610	2713361	100.00%	17.489%
87	12.260	3471	3474	3477	rBV2	337	248	0.01%	0.002%
88	12.479	3537	3542	3548	rVB3	1514	1907	0.07%	0.012%
89	12.829	3648	3651	3654	rBV2	349	300	0.01%	0.002%
90	12.871	3655	3664	3665	rBV4	6922	7624	0.28%	0.049%
91	12.987	3694	3700	3707	rBV6	1645	2047	0.08%	0.013%
92	13.038	3713	3716	3720	rBV2	578	442	0.02%	0.003%
93	13.122	3740	3742	3745	rVB2	441	260	0.01%	0.002%
94	13.147	3746	3750	3752	rBV2	716	488	0.02%	0.003%
95	13.501	3849	3860	3886	rBV	159176	286151	10.55%	1.844%
96	13.749	3930	3937	3943	rBV7	2465	3302	0.12%	0.021%
97	13.987	4000	4011	4035	rBV	105897	198517	7.32%	1.280%
98	14.276	4094	4101	4110	rVB3	2438	4072	0.15%	0.026%
99	15.080	4345	4351	4353	rBV6	1612	1851	0.07%	0.012%
100	15.662	4525	4532	4547	rVB4	9061	18098	0.67%	0.117%

Sum of corrected areas: 15514514

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022719\
Data File : VU029719.D
Acq On : 27 Feb 2019 21:09
Operator : JC/SP
Sample : K1623-01DL 5X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 43 Sample Multiplier: 1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_U\DATA\VU022719\
Data File : VU029719.D
Acq On : 27 Feb 2019 21:09
Operator : JC/SP
Sample : K1623-01DL 5X
Misc : 5.0mL/MSV0A_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU022719\
Data File : VU029719.D
Acq On : 27 Feb 2019 21:09
Operator : JC/SP
Sample : K1623-01DL 5X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
