

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022720\
 Data File : VU036946.D
 Acq On : 27 Feb 2020 16:11
 Operator : JC/MD
 Sample : L1677-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CD6

Quant Time: Feb 27 23:16:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 27 22:00:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	253504	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	239314	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	89081	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	78222	36.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.48%
7) Chloroethane-d5	1.93	69	74929	42.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.08%
11) 1,1-Dichloroethene-d2	2.59	63	106462	29.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	59.72%#
21) 2-Butanone-d5	4.67	46	143649	100.60	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.60%
24) Chloroform-d	5.11	84	145871	44.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.74%
26) 1,2-Dichloroethane-d4	5.74	65	102256	46.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.96%
32) Benzene-d6	5.76	84	312808	45.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.40%
36) 1,2-Dichloropropane-d6	6.72	67	104004	46.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.78%
41) Toluene-d8	7.92	98	282364	43.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.96%
43) trans-1,3-Dichloropropene-	8.20	79	44087	42.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.62%
47) 2-Hexanone-d5	8.66	63	107180	97.77	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.77%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	150378	47.57	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.14%
64) 1,2-Dichlorobenzene-d4	12.21	152	86974	49.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.90%


Target Compounds					Ovalue
13) Acetone	2.66	43	3018	2.055 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022720\
Data File : VU036946.D
Acq On : 27 Feb 2020 16:11
Operator : JC/MD
Sample : L1677-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CD6

Quant Time: Feb 27 23:16:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 27 22:00:13 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.055 ug/L
 RT: 2.66 min Scan# 409
 Delta R.T. 0.00 min
 Lab File: VU036946.D
 Acq: 27 Feb 2020 16:11

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CD6

Tot Ion: 43 Resp: 3018
 Ion Ratio Lower Upper
 43 100
 58 29.7 0.0 64.6

