

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022720\
 Data File : VU036957.D
 Acq On : 27 Feb 2020 20:44
 Operator : JC/MD
 Sample : L1708-05
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CE2

Quant Time: Feb 28 00:24:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 27 22:00:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	253025	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	240569	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	88656	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	75059	35.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.64%
7) Chloroethane-d5	1.93	69	71971	40.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.88%
11) 1,1-Dichloroethene-d2	2.59	63	102276	28.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.48%#
21) 2-Butanone-d5	4.67	46	147829	103.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.72%
24) Chloroform-d	5.11	84	148042	45.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.26%
26) 1,2-Dichloroethane-d4	5.74	65	102594	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.44%
32) Benzene-d6	5.76	84	316314	45.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.94%
36) 1,2-Dichloropropane-d6	6.72	67	106933	47.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.88%
41) Toluene-d8	7.92	98	283758	43.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.94%
43) trans-1,3-Dichloropropene-	8.20	79	44088	42.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.18%
47) 2-Hexanone-d5	8.66	63	107567	97.61	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.61%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	153031	48.16	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.32%
64) 1,2-Dichlorobenzene-d4	12.21	152	87681	50.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.18%


Target Compounds					Ovalue
13) Acetone	2.66	43	4264	2.908 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022720\
Data File : VU036957.D
Acq On : 27 Feb 2020 20:44
Operator : JC/MD
Sample : L1708-05
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CE2

Quant Time: Feb 28 00:24:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 27 22:00:13 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.908 ug/L
 RT: 2.66 min Scan# 410
 Delta R.T. 0.01 min
 Lab File: VU036957.D
 Acq: 27 Feb 2020 20:44

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CE2

Tot Ion: 43 Resp: 4264
 Ion Ratio Lower Upper
 43 100
 58 29.2 0.0 64.6

