

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022720\
 Data File : VU036945.D
 Acq On : 27 Feb 2020 15:48
 Operator : JC/MD
 Sample : L1687-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AS7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.613	78	85	97	rBV	119949	127930	13.45%	1.743%
2	1.928	176	183	200	rVB	105335	139572	14.67%	1.901%
3	2.594	377	390	403	rBV	177172	294569	30.97%	4.013%
4	2.790	439	451	469	rBV2	13744	25468	2.68%	0.347%
5	3.054	531	533	537	rBV	165	116	0.01%	0.002%
6	3.089	541	544	548	rBV2	150	136	0.01%	0.002%
7	3.221	575	585	597	rBV	2309	4619	0.49%	0.063%
8	3.292	603	607	612	rVB2	183	212	0.02%	0.003%
9	3.321	612	616	617	rBV	156	116	0.01%	0.002%
10	3.414	640	645	646	rBV2	208	172	0.02%	0.002%
11	3.497	666	671	675	rVV2	224	233	0.02%	0.003%
12	3.526	676	680	683	rVV2	208	165	0.02%	0.002%
13	3.562	687	691	698	rVB2	256	215	0.02%	0.003%
14	3.620	706	709	712	rVB	226	158	0.02%	0.002%
15	3.645	715	717	722	rVB	180	99	0.01%	0.001%
16	3.671	722	725	726	rBV	223	132	0.01%	0.002%
17	3.755	749	751	755	rVB	157	93	0.01%	0.001%
18	3.864	783	785	789	rVB2	191	115	0.01%	0.002%
19	3.970	816	818	821	rVB	221	125	0.01%	0.002%
20	4.025	831	835	837	rBV	196	118	0.01%	0.002%
21	4.038	837	839	843	rVB2	137	114	0.01%	0.002%
22	4.089	852	855	858	rVB	233	137	0.01%	0.002%
23	4.166	876	879	882	rVB	188	151	0.02%	0.002%
24	4.263	905	909	911	rBV2	160	96	0.01%	0.001%
25	4.276	911	913	917	rVB	116	92	0.01%	0.001%
26	4.350	933	936	939	rBV	134	104	0.01%	0.001%
27	4.375	940	944	948	rVB2	253	216	0.02%	0.003%
28	4.668	1020	1035	1065	rBV	105553	249251	26.20%	3.396%
29	4.957	1123	1125	1128	rBV	234	131	0.01%	0.002%
30	5.105	1154	1171	1196	rBV	164650	357495	37.58%	4.870%
31	5.211	1201	1204	1207	rBV2	298	226	0.02%	0.003%
32	5.301	1229	1232	1234	rVV2	253	165	0.02%	0.002%
33	5.324	1234	1239	1249	rVV4	505	823	0.09%	0.011%
34	5.385	1254	1258	1260	rBV	167	111	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022720\
 Data File : VU036945.D
 Acq On : 27 Feb 2020 15:48
 Operator : JC/MD
 Sample : L1687-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AS7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

35	5.414	1260	1267	1271	rBV4	632	762	0.08%	0.010%
36	5.558	1309	1312	1314	rBV	219	136	0.01%	0.002%
37	5.761	1350	1375	1402	rBV2	365198	951288	100.00%	12.960%
38	6.176	1501	1504	1506	rBV2	182	126	0.01%	0.002%
39	6.282	1522	1537	1562	rBV	330055	618432	65.01%	8.425%
40	6.568	1616	1626	1637	rBV9	7947	15693	1.65%	0.214%
41	6.610	1637	1639	1642	rVB2	365	227	0.02%	0.003%
42	6.645	1647	1650	1652	rBV	186	96	0.01%	0.001%
43	6.722	1660	1674	1697	rBV	228915	440791	46.34%	6.005%
44	7.044	1771	1774	1781	rBV	96	109	0.01%	0.001%
45	7.150	1804	1807	1809	rBV	211	134	0.01%	0.002%
46	7.202	1818	1823	1826	rBV2	541	502	0.05%	0.007%
47	7.388	1879	1881	1884	rVB	191	96	0.01%	0.001%
48	7.468	1900	1906	1907	rBV	178	103	0.01%	0.001%
49	7.594	1930	1945	1959	rBV	122541	212530	22.34%	2.895%
50	7.851	2021	2025	2030	rVB2	173	205	0.02%	0.003%
51	7.925	2033	2048	2066	rBV	440061	748450	78.68%	10.197%
52	8.205	2123	2135	2155	rBV	84300	141986	14.93%	1.934%
53	8.385	2186	2191	2194	rVB	220	136	0.01%	0.002%
54	8.423	2199	2203	2207	rBV2	131	120	0.01%	0.002%
55	8.494	2217	2225	2235	rVB	732	1244	0.13%	0.017%
56	8.581	2249	2252	2258	rVB3	546	405	0.04%	0.006%
57	8.658	2263	2276	2310	rBV	292762	555715	58.42%	7.571%
58	8.963	2366	2371	2372	rBV	223	171	0.02%	0.002%
59	9.015	2385	2387	2390	rVV	198	146	0.02%	0.002%
60	9.031	2390	2392	2396	rVV2	244	179	0.02%	0.002%
61	9.054	2396	2399	2402	rVV2	233	199	0.02%	0.003%
62	9.079	2404	2407	2411	rVV	274	192	0.02%	0.003%
63	9.099	2411	2413	2416	rVV2	206	147	0.02%	0.002%
64	9.192	2440	2442	2445	rVB2	212	128	0.01%	0.002%
65	9.298	2472	2475	2476	rBV	182	108	0.01%	0.001%
66	9.327	2481	2484	2487	rBV2	312	216	0.02%	0.003%
67	9.439	2505	2519	2552	rBV	458168	766507	80.58%	10.443%
68	9.619	2573	2575	2579	rBV	232	108	0.01%	0.001%
69	9.636	2579	2580	2582	rBV2	282	95	0.01%	0.001%
70	9.693	2595	2598	2602	rVB2	151	142	0.01%	0.002%
71	9.754	2615	2617	2620	rBV	180	121	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022720\
 Data File : VU036945.D
 Acq On : 27 Feb 2020 15:48
 Operator : JC/MD
 Sample : L1687-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AS7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

72	9.799	2626	2631	2636	rBV	287	291	0.03%	0.004%
73	9.828	2636	2640	2642	rBV	159	130	0.01%	0.002%
74	9.857	2647	2649	2652	rBV	146	112	0.01%	0.002%
75	10.015	2695	2698	2702	rBV2	250	173	0.02%	0.002%
76	10.066	2711	2714	2716	rBV	192	148	0.02%	0.002%
77	10.317	2789	2792	2799	rVB	242	286	0.03%	0.004%
78	10.359	2801	2805	2806	rBV	206	141	0.01%	0.002%
79	10.398	2814	2817	2820	rBV2	215	179	0.02%	0.002%
80	10.684	2901	2906	2909	rBV	253	234	0.02%	0.003%
81	10.774	2921	2934	2951	rVB	296718	485106	50.99%	6.609%
82	10.870	2961	2964	2968	rBV	277	196	0.02%	0.003%
83	10.896	2970	2972	2973	rBV	285	152	0.02%	0.002%
84	10.992	2998	3002	3004	rBV	197	152	0.02%	0.002%
85	11.082	3028	3030	3035	rVB	264	153	0.02%	0.002%
86	11.388	3120	3125	3127	rBV	223	172	0.02%	0.002%
87	11.639	3201	3203	3207	rBV	259	173	0.02%	0.002%
88	11.828	3249	3262	3282	rVB	364249	601514	63.23%	8.195%
89	12.044	3326	3329	3330	rBV	163	94	0.01%	0.001%
90	12.208	3368	3380	3397	rBV	355766	587127	61.72%	7.999%
91	12.468	3459	3461	3464	rBV	219	125	0.01%	0.002%
92	12.610	3503	3505	3509	rVB2	437	246	0.03%	0.003%
93	12.764	3549	3553	3560	rBV2	317	427	0.04%	0.006%
94	12.793	3560	3562	3564	rBV	246	150	0.02%	0.002%
95	13.169	3676	3679	3683	rBV2	316	283	0.03%	0.004%
96	13.204	3688	3690	3693	rBV2	301	178	0.02%	0.002%
97	13.462	3768	3770	3775	rBV2	259	232	0.02%	0.003%
98	13.732	3850	3854	3856	rVB	277	170	0.02%	0.002%
99	14.018	3939	3943	3946	rVB	531	323	0.03%	0.004%
100	14.069	3956	3959	3960	rBV2	389	227	0.02%	0.003%

Sum of corrected areas: 7340114

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU022720\
Data File : VU036945.D
Acq On : 27 Feb 2020 15:48
Operator : JC/MD
Sample : L1687-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AS7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU022720\
Data File : VU036945.D
Acq On : 27 Feb 2020 15:48
Operator : JC/MD
Sample : L1687-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AS7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc