

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022820\
 Data File : VU036985.D
 Acq On : 28 Feb 2020 20:02
 Operator : JC/MD
 Sample : L1729-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW5

Quant Time: Feb 29 04:17:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Feb 29 00:30:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	242749	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	230443	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	86707	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	80628	39.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.10%
7) Chloroethane-d5	1.93	69	76538	45.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.76%
11) 1,1-Dichloroethene-d2	2.59	63	108384	31.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.50%
21) 2-Butanone-d5	4.67	46	146044	106.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.80%
24) Chloroform-d	5.11	84	149580	48.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.10%
26) 1,2-Dichloroethane-d4	5.74	65	104515	49.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.22%
32) Benzene-d6	5.76	84	324832	48.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.48%
36) 1,2-Dichloropropane-d6	6.72	67	107430	49.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.52%
41) Toluene-d8	7.92	98	293217	47.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.86%
43) trans-1,3-Dichloropropene-	8.20	79	45955	45.80	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.60%
47) 2-Hexanone-d5	8.66	63	109413	103.65	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.65%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	152498	50.10	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.20%
64) 1,2-Dichlorobenzene-d4	12.21	152	91549	54.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.02%

Target Compounds				Ovalue
13) Acetone	2.66	43	3210	2.282 ug/L 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022820\
Data File : VU036985.D
Acq On : 28 Feb 2020 20:02
Operator : JC/MD
Sample : L1729-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AW5

Quant Time: Feb 29 04:17:01 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 29 00:30:49 2020
Response via : Initial Calibration

