

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022820\
 Data File : VU036969.D
 Acq On : 28 Feb 2020 13:36
 Operator : JC/MD
 Sample : L1677-24
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CD9

Quant Time: Feb 29 01:18:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Feb 29 00:30:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	236648	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	226503	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	84670	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	88582	44.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.14%
7) Chloroethane-d5	1.93	69	80275	48.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.64%
11) 1,1-Dichloroethene-d2	2.59	63	116103	34.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.78%
21) 2-Butanone-d5	4.67	46	144246	108.21	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.21%
24) Chloroform-d	5.11	84	152365	50.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.42%
26) 1,2-Dichloroethane-d4	5.74	65	106924	52.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.12%
32) Benzene-d6	5.76	84	334939	51.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.26%
36) 1,2-Dichloropropane-d6	6.72	67	108932	51.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.66%
41) Toluene-d8	7.92	98	304908	50.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.36%
43) trans-1,3-Dichloropropene-	8.20	79	46486	47.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.28%
47) 2-Hexanone-d5	8.66	63	108053	104.14	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.14%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	153955	51.46	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.92%
64) 1,2-Dichlorobenzene-d4	12.21	152	91711	55.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.82%


Target Compounds					Ovalue
13) Acetone	2.65	43	2387	1.741 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022820\
Data File : VU036969.D
Acq On : 28 Feb 2020 13:36
Operator : JC/MD
Sample : L1677-24
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CD9

Quant Time: Feb 29 01:18:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 29 00:30:49 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.741 ug/L
 RT: 2.65 min Scan# 408
 Delta R.T. -0.00 min
 Lab File: VU036969.D
 Acq: 28 Feb 2020 13:36

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CD9

Tot Ion: 43 Resp: 2387
 Ion Ratio Lower Upper
 43 100
 58 31.4 0.0 64.6

