

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022820\
 Data File : VU036973.D
 Acq On : 28 Feb 2020 15:07
 Operator : JC/MD
 Sample : L1729-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT8

Quant Time: Feb 29 03:17:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Feb 29 00:30:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	242957	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	231569	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	84520	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	85394	41.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.70%
7) Chloroethane-d5	1.93	69	79044	46.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.64%
11) 1,1-Dichloroethene-d2	2.59	63	111068	32.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.02%
21) 2-Butanone-d5	4.67	46	143758	105.04	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.04%
24) Chloroform-d	5.11	84	148682	47.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.44%
26) 1,2-Dichloroethane-d4	5.74	65	104291	49.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.92%
32) Benzene-d6	5.76	84	327366	48.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.78%
36) 1,2-Dichloropropane-d6	6.72	67	107034	49.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.66%
41) Toluene-d8	7.92	98	293980	47.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.64%
43) trans-1,3-Dichloropropene-	8.20	79	46448	46.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.14%
47) 2-Hexanone-d5	8.66	63	102501	96.63	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.63%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	148550	48.57	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.14%
64) 1,2-Dichlorobenzene-d4	12.21	152	88151	53.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.70%


Target Compounds					Ovalue
13) Acetone	2.65	43	3073	2.183 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022820\
Data File : VU036973.D
Acq On : 28 Feb 2020 15:07
Operator : JC/MD
Sample : L1729-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AT8

Quant Time: Feb 29 03:17:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 29 00:30:49 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.183 ug/L
 RT: 2.65 min Scan# 409
 Delta R.T. -0.00 min
 Lab File: VU036973.D
 Acq: 28 Feb 2020 15:07

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT8

Tot Ion: 43 Resp: 3073
 Ion Ratio Lower Upper
 43 100
 58 30.2 0.0 64.6

