

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU022820\
 Data File : VU036982.D
 Acq On : 28 Feb 2020 18:54
 Operator : JC/MD
 Sample : L1729-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW2

Quant Time: Feb 29 04:06:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Feb 29 00:30:49 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	243692	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	232028	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	84328	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	81700	39.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.84%
7) Chloroethane-d5	1.93	69	75526	44.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.20%
11) 1,1-Dichloroethene-d2	2.59	63	107955	31.50	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.00%
21) 2-Butanone-d5	4.67	46	146120	106.45	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.45%
24) Chloroform-d	5.11	84	147742	47.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.56%
26) 1,2-Dichloroethane-d4	5.74	65	102851	48.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.26%
32) Benzene-d6	5.76	84	323497	48.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.42%
36) 1,2-Dichloropropane-d6	6.72	67	107079	49.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.52%
41) Toluene-d8	7.93	98	290527	46.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.34%
43) trans-1,3-Dichloropropene-	8.20	79	45489	45.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.06%
47) 2-Hexanone-d5	8.66	63	104980	98.77	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.77%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	150301	49.04	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.08%
64) 1,2-Dichlorobenzene-d4	12.21	152	88256	53.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.08%


Target Compounds					Ovalue
13) Acetone	2.66	43	2705	1.916 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU022820\
Data File : VU036982.D
Acq On : 28 Feb 2020 18:54
Operator : JC/MD
Sample : L1729-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AW2

Quant Time: Feb 29 04:06:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 29 00:30:49 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.916 ug/L
 RT: 2.66 min Scan# 409
 Delta R.T. 0.00 min
 Lab File: VU036982.D
 Acq: 28 Feb 2020 18:54

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW2

Tot Ion: 43 Resp: 2705
 Ion Ratio Lower Upper
 43 100
 58 31.7 0.0 64.6

