

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030220\
 Data File : VU037007.D
 Acq On : 02 Mar 2020 18:21
 Operator : JC/MD
 Sample : L1729-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW8

Quant Time: Mar 03 04:42:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 03 03:21:45 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	272872	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	262404	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	97536	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	81186	35.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.86%
7) Chloroethane-d5	1.93	69	79486	41.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.84%
11) 1,1-Dichloroethene-d2	2.59	63	112453	29.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.60%#
21) 2-Butanone-d5	4.67	46	162025	105.41	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.41%
24) Chloroform-d	5.11	84	166231	47.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.00%
26) 1,2-Dichloroethane-d4	5.74	65	114072	48.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.34%
32) Benzene-d6	5.76	84	352063	46.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.80%
36) 1,2-Dichloropropane-d6	6.73	67	117295	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.42%
41) Toluene-d8	7.92	98	318698	45.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.54%
43) trans-1,3-Dichloropropene-	8.20	79	50337	44.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.12%
47) 2-Hexanone-d5	8.66	63	113266	94.23	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.23%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	167097	48.21	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.42%
64) 1,2-Dichlorobenzene-d4	12.21	152	98981	51.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.82%


Target Compounds					Ovalue
13) Acetone	2.66	43	3262	2.063 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU030220\
Data File : VU037007.D
Acq On : 02 Mar 2020 18:21
Operator : JC/MD
Sample : L1729-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AW8

Quant Time: Mar 03 04:42:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 03 03:21:45 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.063 ug/L
 RT: 2.66 min Scan# 410
 Delta R.T. 0.01 min
 Lab File: VU037007.D
 Acq: 02 Mar 2020 18:21

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW8

Tot Ion: 43 Resp: 3262
 Ion Ratio Lower Upper
 43 100
 58 32.7 0.0 64.6

