

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU030419\
 Data File : VU029788.D
 Acq On : 04 Mar 2019 17:16
 Operator : JC/SP
 Sample : K1657-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Mar 05 01:45:22 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 05 01:28:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	496964	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	485272	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	237452	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	158993	43.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.32%
7) Chloroethane-d5	1.68	69	134242	41.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.94%
11) 1,1-Dichloroethene-d2	2.27	63	225893	31.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.46%
21) 2-Butanone-d5	4.17	46	242921	109.62	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.62%
24) Chloroform-d	4.65	84	277612	47.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	5.31	65	180400	48.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.48%
32) Benzene-d6	5.34	84	620851	50.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.68%
36) 1,2-Dichloropropane-d6	6.33	67	190318	51.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.60%
41) Toluene-d8	7.56	98	580097	46.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.10%
43) trans-1,3-Dichloropropene-	7.85	79	88125	45.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.44%
47) 2-Hexanone-d5	8.31	63	205904	100.65	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.65%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	288579	46.49	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.98%
64) 1,2-Dichlorobenzene-d4	11.86	152	237136	46.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.68%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU030419\
Data File : VU029788.D
Acq On : 04 Mar 2019 17:16
Operator : JC/SP
Sample : K1657-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Mar 05 01:45:22 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 05 01:28:42 2019
Response via : Initial Calibration

