

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU030419\
 Data File : VU029781.D
 Acq On : 04 Mar 2019 13:37
 Operator : JC/SP
 Sample : K1661-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFC83

Quant Time: Mar 05 01:07:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 05 00:37:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	447196	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	428630	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	207842	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	124785	38.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.16%
7) Chloroethane-d5	1.68	69	111157	38.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	76.32%
11) 1,1-Dichloroethene-d2	2.27	63	188134	29.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.74%#
21) 2-Butanone-d5	4.17	46	223581	112.12	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.12%
24) Chloroform-d	4.65	84	258219	48.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.16%
26) 1,2-Dichloroethane-d4	5.31	65	159804	47.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.98%
32) Benzene-d6	5.34	84	542338	50.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.56%
36) 1,2-Dichloropropane-d6	6.33	67	173264	53.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.80%
41) Toluene-d8	7.56	98	498184	45.26	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.52%
43) trans-1,3-Dichloropropene-	7.85	79	77503	45.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.06%
47) 2-Hexanone-d5	8.31	63	186849	103.40	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.40%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	271556	49.53	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.06%
64) 1,2-Dichlorobenzene-d4	11.86	152	214835	47.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.92%


Target Compounds					Qvalue
13) Acetone	2.32	43	5873	2.756 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU030419\
Data File : VU029781.D
Acq On : 04 Mar 2019 13:37
Operator : JC/SP
Sample : K1661-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFC83

Quant Time: Mar 05 01:07:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 05 00:37:02 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.756 ug/L

RT: 2.32 min Scan# 382

Delta R.T. -0.00 min

Lab File: VU029781.D

Acq: 04 Mar 2019 13:37

Instrument :
MSVOA_U
ClientSampleId :
BFC83

Tgt Ion: 43 Resp: 5873

Ion Ratio Lower Upper

43 100

58 33.2 0.0 66.8

