

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030420\
 Data File : VU037042.D
 Acq On : 04 Mar 2020 16:39
 Operator : JC/MD
 Sample : L1780-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DG3

Quant Time: Mar 05 01:32:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Mar 05 00:57:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	256309	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	243089	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	87628	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	94093	43.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.44%
7) Chloroethane-d5	1.93	69	89707	50.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.74%
11) 1,1-Dichloroethene-d2	2.59	63	125109	34.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.42%
21) 2-Butanone-d5	4.67	46	136767	94.73	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.73%
24) Chloroform-d	5.11	84	161494	49.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.26%
26) 1,2-Dichloroethane-d4	5.74	65	110112	49.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.00%
32) Benzene-d6	5.76	84	347610	49.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.90%
36) 1,2-Dichloropropane-d6	6.72	67	115726	50.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.62%
41) Toluene-d8	7.93	98	304888	46.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.50%
43) trans-1,3-Dichloropropene-	8.20	79	45695	43.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.34%
47) 2-Hexanone-d5	8.66	63	93247	83.74	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.74%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	155327	48.37	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.74%
64) 1,2-Dichlorobenzene-d4	12.21	152	90297	52.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.42%


Target Compounds					Ovalue
13) Acetone	2.66	43	11631	7.832 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030420\
Data File : VU037042.D
Acq On : 04 Mar 2020 16:39
Operator : JC/MD
Sample : L1780-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DG3

Quant Time: Mar 05 01:32:04 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 05 00:57:10 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 7.832 ug/L
 RT: 2.66 min Scan# 409
 Delta R.T. 0.00 min
 Lab File: VU037042.D
 Acq: 04 Mar 2020 16:39

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DG3

Tot Ion: 43 Resp: 11631
 Ion Ratio Lower Upper
 43 100
 58 30.6 0.0 64.6

