

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030420\
 Data File : VU037039.D
 Acq On : 04 Mar 2020 15:31
 Operator : JC/MD
 Sample : L1780-19
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DM4

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.613	78	85	97	rBV	151805	162500	15.07%	2.032%
2	1.928	176	183	197	rVB	132210	172085	15.96%	2.152%
3	2.591	377	389	402	rBV	218284	357995	33.20%	4.476%
4	2.787	441	450	458	rBV3	1967	3490	0.32%	0.044%
5	2.890	480	482	483	rBV3	204	86	0.01%	0.001%
6	3.067	533	537	540	rBV	315	191	0.02%	0.002%
7	3.086	540	543	546	rVV2	334	217	0.02%	0.003%
8	3.102	546	548	553	rVB	264	159	0.01%	0.002%
9	3.131	553	557	560	rBV2	295	244	0.02%	0.003%
10	3.182	572	573	574	rBV	167	53	0.00%	0.001%
11	3.221	574	585	602	rVB3	2826	6317	0.59%	0.079%
12	3.324	610	617	621	rBV2	197	273	0.03%	0.003%
13	3.388	635	637	641	rBV2	216	139	0.01%	0.002%
14	3.411	642	644	647	rVB	162	52	0.00%	0.001%
15	3.459	656	659	664	rBV2	193	161	0.01%	0.002%
16	3.546	684	686	690	rBV	143	93	0.01%	0.001%
17	3.594	699	701	702	rBV	160	87	0.01%	0.001%
18	3.636	712	714	717	rBV2	170	96	0.01%	0.001%
19	3.661	720	722	724	rBV	150	86	0.01%	0.001%
20	3.735	737	745	748	rVB2	194	215	0.02%	0.003%
21	3.751	748	750	753	rBV	215	118	0.01%	0.001%
22	3.771	753	756	758	rBV	236	124	0.01%	0.002%
23	3.825	771	773	776	rVB	222	99	0.01%	0.001%
24	3.841	776	778	781	rBV	237	159	0.01%	0.002%
25	3.941	802	809	814	rBV2	177	290	0.03%	0.004%
26	3.960	814	815	819	rVB2	186	83	0.01%	0.001%
27	3.983	819	822	824	rVB	98	56	0.01%	0.001%
28	4.012	829	831	832	rBV	113	61	0.01%	0.001%
29	4.108	859	861	863	rVB	177	70	0.01%	0.001%
30	4.208	889	892	894	rBV	183	99	0.01%	0.001%
31	4.227	896	898	902	rVB	211	109	0.01%	0.001%
32	4.250	903	905	907	rBV	191	74	0.01%	0.001%
33	4.288	913	917	920	rBV2	193	149	0.01%	0.002%
34	4.369	939	942	944	rBV	185	146	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030420\
 Data File : VU037039.D
 Acq On : 04 Mar 2020 15:31
 Operator : JC/MD
 Sample : L1780-19
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DM4

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

35	4.382	944	946	951	rVB2	235	150	0.01%	0.002%
36	4.433	961	962	966	rVB	139	93	0.01%	0.001%
37	4.494	978	981	983	rBV2	187	115	0.01%	0.001%
38	4.533	990	993	996	rVB2	154	91	0.01%	0.001%
39	4.668	1017	1035	1072	rBV	98731	238084	22.08%	2.977%
40	5.105	1155	1171	1194	rBV	191130	411516	38.16%	5.146%
41	5.272	1221	1223	1229	rVB	328	159	0.01%	0.002%
42	5.301	1229	1232	1234	rBV	232	122	0.01%	0.002%
43	5.359	1248	1250	1253	rBV2	165	96	0.01%	0.001%
44	5.375	1253	1255	1258	rVB	242	100	0.01%	0.001%
45	5.468	1281	1284	1287	rVB2	230	152	0.01%	0.002%
46	5.484	1287	1289	1290	rBV2	170	57	0.01%	0.001%
47	5.539	1303	1306	1309	rVB2	196	117	0.01%	0.001%
48	5.571	1312	1316	1321	rBB2	196	181	0.02%	0.002%
49	5.597	1321	1324	1326	rBV	230	169	0.02%	0.002%
50	5.645	1337	1339	1343	rVB	134	84	0.01%	0.001%
51	5.764	1354	1376	1398	rBV2	415143	1078273	100.00%	13.483%
52	6.063	1468	1469	1471	rBV	176	71	0.01%	0.001%
53	6.086	1471	1476	1482	rVV4	494	574	0.05%	0.007%
54	6.221	1514	1518	1520	rBV	171	114	0.01%	0.001%
55	6.285	1521	1538	1559	rBV	367427	688129	63.82%	8.604%
56	6.565	1615	1625	1637	rVB5	5005	9192	0.85%	0.115%
57	6.619	1640	1642	1646	rBV2	217	161	0.01%	0.002%
58	6.726	1660	1675	1694	rBV	254313	493436	45.76%	6.170%
59	6.938	1738	1741	1743	rBV	324	195	0.02%	0.002%
60	6.970	1748	1751	1754	rBV2	207	150	0.01%	0.002%
61	7.041	1770	1773	1780	rVB2	195	166	0.02%	0.002%
62	7.105	1790	1793	1798	rBV2	221	196	0.02%	0.002%
63	7.211	1818	1826	1835	rBV4	2506	4202	0.39%	0.053%
64	7.259	1839	1841	1846	rVV2	264	185	0.02%	0.002%
65	7.346	1866	1868	1869	rBV2	135	58	0.01%	0.001%
66	7.372	1873	1876	1878	rBV	195	116	0.01%	0.001%
67	7.520	1920	1922	1924	rBV	210	113	0.01%	0.001%
68	7.597	1933	1946	1963	rBV	128656	228464	21.19%	2.857%
69	7.713	1978	1982	1994	rVB5	1865	2691	0.25%	0.034%
70	7.800	2006	2009	2012	rBV2	235	166	0.02%	0.002%
71	7.870	2027	2031	2032	rBV	89	56	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030420\
 Data File : VU037039.D
 Acq On : 04 Mar 2020 15:31
 Operator : JC/MD
 Sample : L1780-19
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DM4

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
 Title : VOC Analysis

72	7.928	2034	2049	2066	rBV	492185	856515	79.43%	10.710%
73	8.153	2117	2119	2121	rVB	184	57	0.01%	0.001%
74	8.163	2121	2122	2124	rBV	155	71	0.01%	0.001%
75	8.208	2124	2136	2153	rBV	91887	153060	14.19%	1.914%
76	8.349	2177	2180	2183	rBV3	418	345	0.03%	0.004%
77	8.385	2188	2191	2194	rVB2	174	104	0.01%	0.001%
78	8.433	2199	2206	2207	rBV	176	192	0.02%	0.002%
79	8.497	2218	2226	2229	rBV4	1034	1192	0.11%	0.015%
80	8.574	2248	2250	2253	rBV	269	181	0.02%	0.002%
81	8.619	2263	2264	2265	rBV	175	55	0.01%	0.001%
82	8.664	2265	2278	2326	rVV	240173	489408	45.39%	6.119%
83	9.443	2507	2520	2555	rVB	509531	847721	78.62%	10.600%
84	9.590	2564	2566	2569	rBV2	309	241	0.02%	0.003%
85	9.716	2600	2605	2606	rBV	533	413	0.04%	0.005%
86	9.835	2639	2642	2644	rVB2	211	113	0.01%	0.001%
87	9.851	2645	2647	2651	rVB2	194	139	0.01%	0.002%
88	9.989	2686	2690	2694	rBV2	246	320	0.03%	0.004%
89	10.028	2699	2702	2704	rBV	182	137	0.01%	0.002%
90	10.086	2717	2720	2724	rBV2	284	223	0.02%	0.003%
91	10.259	2771	2774	2777	rBV	197	138	0.01%	0.002%
92	10.407	2818	2820	2821	rBV	176	81	0.01%	0.001%
93	10.533	2856	2859	2863	rBV2	256	236	0.02%	0.003%
94	10.600	2877	2880	2883	rVB2	523	326	0.03%	0.004%
95	10.780	2923	2936	2954	rVB	311869	509659	47.27%	6.373%
96	11.015	3005	3009	3012	rBV	287	243	0.02%	0.003%
97	11.577	3181	3184	3191	rVB	320	315	0.03%	0.004%
98	11.835	3251	3264	3282	rVB	375854	635684	58.95%	7.948%
99	12.089	3336	3343	3351	rBV2	1323	1698	0.16%	0.021%
100	12.214	3369	3382	3407	rVB	382799	634504	58.84%	7.934%


Sum of corrected areas: 7997541

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU030420\
Data File : VU037039.D
Acq On : 04 Mar 2020 15:31
Operator : JC/MD
Sample : L1780-19
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DM4

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU030420\
Data File : VU037039.D
Acq On : 04 Mar 2020 15:31
Operator : JC/MD
Sample : L1780-19
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DM4

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU030420\
Data File : VU037039.D
Acq On : 04 Mar 2020 15:31
Operator : JC/MD
Sample : L1780-19
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DM4

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM022420WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	---Internal Standard---
					# RT Resp Conc