

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030519\
 Data File : VU029813.D
 Acq On : 05 Mar 2019 11:00
 Operator : JC/SP
 Sample : K1721-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF8B7

Quant Time: Mar 06 01:06:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 06 00:41:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	487387	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	470064	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	223788	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	157344	44.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.12%
7) Chloroethane-d5	1.68	69	134447	42.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.70%
11) 1,1-Dichloroethene-d2	2.27	63	212740	30.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.94%
21) 2-Butanone-d5	4.17	46	235235	108.23	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.23%
24) Chloroform-d	4.65	84	281035	48.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.04%
26) 1,2-Dichloroethane-d4	5.31	65	176575	48.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.30%
32) Benzene-d6	5.34	84	610312	51.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.20%
36) 1,2-Dichloropropane-d6	6.33	67	188813	53.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.12%
41) Toluene-d8	7.56	98	573187	47.49	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.98%
43) trans-1,3-Dichloropropene-	7.85	79	87101	46.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.28%
47) 2-Hexanone-d5	8.31	63	201685	101.77	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.77%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	288134	47.92	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.84%
64) 1,2-Dichlorobenzene-d4	11.86	152	228555	47.39	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.78%


Target Compounds					Ovalue
13) Acetone	2.32	43	7113	3.063 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU030519\
Data File : VU029813.D
Acq On : 05 Mar 2019 11:00
Operator : JC/SP
Sample : K1721-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF8B7

Quant Time: Mar 06 01:06:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 06 00:41:37 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.063 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU029813.D

Acq: 05 Mar 2019 11:00

Instrument :
MSVOA_U
ClientSampleId :
BF8B7

Tot Ion: 43 Resp: 7113

Ion Ratio Lower Upper

43 100

58 36.9 0.0 66.8

