

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030519\
 Data File : VU029812.D
 Acq On : 05 Mar 2019 10:37
 Operator : JC/SP
 Sample : K1661-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFC75

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.183	24	29	37	rBV2	7897	7603	0.45%	0.055%
2	1.396	88	95	106	rBV	240430	245522	14.40%	1.764%
3	1.679	175	183	197	rVB	187588	235904	13.83%	1.695%
4	2.270	356	367	380	rBV	411459	610645	35.81%	4.388%
5	2.373	394	399	410	rVB8	2291	3381	0.20%	0.024%
6	2.418	410	413	417	rVB	573	411	0.02%	0.003%
7	2.441	417	420	424	rBV2	400	368	0.02%	0.003%
8	2.579	456	463	465	rBV3	470	542	0.03%	0.004%
9	2.608	470	472	476	rVB2	431	268	0.02%	0.002%
10	2.701	495	501	505	rVB3	599	804	0.05%	0.006%
11	2.772	516	523	524	rBV3	278	285	0.02%	0.002%
12	2.830	531	541	553	rVB5	2206	4383	0.26%	0.031%
13	2.907	563	565	568	rVB3	497	279	0.02%	0.002%
14	3.209	656	659	666	rVB2	275	315	0.02%	0.002%
15	3.257	669	674	676	rBV2	530	400	0.02%	0.003%
16	3.312	687	691	696	rVB2	322	368	0.02%	0.003%
17	3.434	725	729	732	rBV2	406	279	0.02%	0.002%
18	3.450	732	734	738	rVB2	434	291	0.02%	0.002%
19	3.479	738	743	747	rBV	671	748	0.04%	0.005%
20	3.514	751	754	762	rVB2	512	564	0.03%	0.004%
21	3.572	770	772	778	rVB3	487	396	0.02%	0.003%
22	3.601	778	781	785	rBV2	388	313	0.02%	0.002%
23	3.720	814	818	822	rVB2	371	357	0.02%	0.003%
24	3.759	822	830	831	rBV2	310	366	0.02%	0.003%
25	3.830	847	852	858	rVB3	502	538	0.03%	0.004%
26	3.865	858	863	867	rBV3	372	409	0.02%	0.003%
27	4.174	946	959	1001	rBV	181964	490163	28.74%	3.522%
28	4.540	1069	1073	1077	rBV3	593	548	0.03%	0.004%
29	4.646	1088	1106	1132	rBV	279052	670768	39.33%	4.820%
30	4.807	1153	1156	1160	rVB2	554	411	0.02%	0.003%
31	4.833	1160	1164	1168	rVB3	720	526	0.03%	0.004%
32	4.865	1168	1174	1175	rBV2	818	551	0.03%	0.004%
33	4.881	1175	1179	1190	rVB3	1256	2018	0.12%	0.014%
34	5.109	1246	1250	1257	rBV2	214	324	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030519\
 Data File : VU029812.D
 Acq On : 05 Mar 2019 10:37
 Operator : JC/SP
 Sample : K1661-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFC75

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

35	5.225	1282	1286	1293	rVB2	696	675	0.04%	0.005%
36	5.338	1296	1321	1354	rBV2	581292	1705395	100.00%	12.254%
37	5.617	1405	1408	1411	rBV2	411	347	0.02%	0.002%
38	5.672	1419	1425	1429	rVB4	662	785	0.05%	0.006%
39	5.884	1475	1491	1522	rBV	525153	1044449	61.24%	7.505%
40	6.177	1576	1582	1595	rVB6	1944	4058	0.24%	0.029%
41	6.228	1595	1598	1603	rVB2	455	359	0.02%	0.003%
42	6.328	1614	1629	1662	rBV	370500	754508	44.24%	5.421%
43	6.595	1708	1712	1715	rBV2	424	373	0.02%	0.003%
44	6.640	1723	1726	1730	rBV2	380	393	0.02%	0.003%
45	6.704	1741	1746	1749	rVB2	414	385	0.02%	0.003%
46	6.839	1781	1788	1792	rBV2	558	873	0.05%	0.006%
47	6.884	1798	1802	1804	rBV2	392	265	0.02%	0.002%
48	6.907	1804	1809	1812	rVV2	385	410	0.02%	0.003%
49	7.016	1840	1843	1846	rBV2	389	299	0.02%	0.002%
50	7.225	1895	1908	1943	rVV	210285	387497	22.72%	2.784%
51	7.563	1999	2013	2032	rBV	816425	1420808	83.31%	10.209%
52	7.849	2088	2102	2128	rBV	144744	256948	15.07%	1.846%
53	8.083	2169	2175	2176	rBV2	389	364	0.02%	0.003%
54	8.122	2185	2187	2191	rVB2	597	310	0.02%	0.002%
55	8.173	2192	2203	2217	rVV3	6879	13387	0.78%	0.096%
56	8.308	2233	2245	2276	rBV	706471	1235459	72.44%	8.877%
57	8.669	2349	2357	2360	rBV4	448	558	0.03%	0.004%
58	8.694	2361	2365	2369	rBV3	698	494	0.03%	0.004%
59	8.771	2386	2389	2395	rVB3	306	315	0.02%	0.002%
60	9.087	2474	2487	2514	rBV	770971	1284774	75.34%	9.232%
61	9.257	2534	2540	2543	rVB3	947	897	0.05%	0.006%
62	9.276	2543	2546	2550	rBV3	677	635	0.04%	0.005%
63	9.386	2573	2580	2582	rBV4	727	790	0.05%	0.006%
64	9.440	2594	2597	2602	rBV4	441	411	0.02%	0.003%
65	9.489	2609	2612	2615	rBV2	353	262	0.02%	0.002%
66	9.511	2616	2619	2622	rVV3	476	364	0.02%	0.003%
67	9.582	2637	2641	2644	rBV2	381	363	0.02%	0.003%
68	9.630	2647	2656	2659	rVV2	363	605	0.04%	0.004%
69	9.649	2659	2662	2670	rVV2	399	434	0.03%	0.003%
70	9.762	2691	2697	2699	rBV2	403	391	0.02%	0.003%
71	9.778	2699	2702	2704	rBV	560	333	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030519\
 Data File : VU029812.D
 Acq On : 05 Mar 2019 10:37
 Operator : JC/SP
 Sample : K1661-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFC75

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Title : VOC Analysis

72	9.807	2709	2711	2714	rBV	404	264	0.02%	0.002%
73	9.887	2732	2736	2740	rBV3	399	400	0.02%	0.003%
74	9.942	2750	2753	2756	rVB3	397	262	0.02%	0.002%
75	9.990	2756	2768	2774	rBV6	2544	3741	0.22%	0.027%
76	10.038	2779	2783	2784	rBV2	482	280	0.02%	0.002%
77	10.096	2798	2801	2807	rBV3	375	309	0.02%	0.002%
78	10.183	2826	2828	2833	rVB2	444	352	0.02%	0.003%
79	10.222	2833	2840	2843	rBV2	490	544	0.03%	0.004%
80	10.427	2892	2904	2926	rBV	601804	964821	56.57%	6.933%
81	10.604	2947	2959	2975	rBV2	9180	14756	0.87%	0.106%
82	10.755	3004	3006	3010	rBV2	335	306	0.02%	0.002%
83	10.852	3033	3036	3039	rVB2	509	320	0.02%	0.002%
84	11.144	3124	3127	3132	rBV3	312	262	0.02%	0.002%
85	11.328	3180	3184	3190	rBV3	492	566	0.03%	0.004%
86	11.382	3198	3201	3203	rBV	400	282	0.02%	0.002%
87	11.482	3220	3232	3257	rBV	752735	1200274	70.38%	8.624%
88	11.717	3299	3305	3307	rBV3	654	675	0.04%	0.005%
89	11.752	3307	3316	3332	rBV4	15189	34771	2.04%	0.250%
90	11.858	3337	3349	3374	rVB	779501	1285176	75.36%	9.234%
91	12.151	3438	3440	3443	rVB2	1269	700	0.04%	0.005%
92	12.173	3443	3447	3448	rBV3	580	462	0.03%	0.003%
93	12.260	3472	3474	3476	rBV	499	254	0.01%	0.002%
94	12.443	3528	3531	3533	rBV2	445	297	0.02%	0.002%
95	12.476	3536	3541	3549	rVB4	1982	3165	0.19%	0.023%
96	12.614	3581	3584	3588	rVB2	489	332	0.02%	0.002%
97	12.649	3591	3595	3599	rBV2	503	477	0.03%	0.003%
98	12.897	3670	3672	3679	rVB4	654	591	0.03%	0.004%
99	13.948	3996	3999	4001	rBV2	572	383	0.02%	0.003%
100	14.739	4240	4245	4254	rBV4	756	1209	0.07%	0.009%

Sum of corrected areas: 13917252

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU030519\
Data File : VU029812.D
Acq On : 05 Mar 2019 10:37
Operator : JC/SP
Sample : K1661-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFC75

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU030519\
Data File : VU029812.D
Acq On : 05 Mar 2019 10:37
Operator : JC/SP
Sample : K1661-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFC75

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc