

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU030824\
 Data File : VU058007.D
 Acq On : 08 Mar 2024 11:08
 Operator : MD/SY
 Sample : P1681-07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Mar 09 00:11:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR022924WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Mar 09 00:10:03 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	145388	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	140754	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	62908	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	44453	4.250	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.000%
7) Chloroethane-d5	1.907	69	39359	4.578	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.600%
11) 1,1-Dichloroethene-d2	2.560	65	20294	4.483	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	89.600%
20) 2-Butanone-d5	4.611	46	89357	51.845	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.700%
24) Chloroform-d	5.052	84	92753	4.688	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.800%
26) 1,2-Dichloroethane-d4	5.695	65	43912	4.899	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.000%
32) Benzene-d6	5.721	84	183802	4.481	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.600%
36) 1,2-Dichloropropane-d6	6.682	67	59685	4.786	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.800%
41) Toluene-d8	7.891	98	157236	4.231	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.600%
43) trans-1,3-Dichloroprop...	8.177	79	18305	4.269	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.400%
46) 2-Hexanone-d5	8.627	63	72286	50.209	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.420%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	36673	4.796	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.000%
66) 1,2-Dichlorobenzene-d4	12.190	152	50375	4.862	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.200%
Target Compounds						Qvalue
16) Methylene chloride	3.036	84	2090	0.196	ug/L	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU030824\
Data File : VU058007.D
Acq On : 08 Mar 2024 11:08
Operator : MD/SY
Sample : P1681-07
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001


Quant Time: Mar 09 00:11:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR022924WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Mar 09 00:10:03 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.196 ug/L
RT: 3.036 min Scan# 54
Delta R.T. -0.000 min
Lab File: VU058007.D
Acq: 08 Mar 2024 11:08

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001



Tgt Ion:	84	Resp:	2090
Ion	Ratio	Lower	Upper
84	100		
86	52.7	44.4	82.4
49	105.5	88.8	165.0

