

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030919\
 Data File : VU029857.D
 Acq On : 07 Mar 2019 17:05
 Operator : JC/SP
 Sample : K1734-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1E5

Quant Time: Mar 08 05:30:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 08 04:31:20 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	473392	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	453995	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	208817	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	134156	38.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.34%
7) Chloroethane-d5	1.68	69	117097	37.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	75.94%
11) 1,1-Dichloroethene-d2	2.27	63	195202	28.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.58%#
21) 2-Butanone-d5	4.17	46	220479	104.44	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.44%
24) Chloroform-d	4.64	84	265814	47.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.50%
26) 1,2-Dichloroethane-d4	5.31	65	164464	46.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.34%
32) Benzene-d6	5.34	84	560310	49.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.10%
36) 1,2-Dichloropropane-d6	6.33	67	175552	51.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.16%
41) Toluene-d8	7.56	98	510969	43.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.66%
43) trans-1,3-Dichloropropene-	7.85	79	77908	42.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.48%
47) 2-Hexanone-d5	8.31	63	176242	92.08	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.08%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	272234	46.88	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.76%
64) 1,2-Dichlorobenzene-d4	11.86	152	212072	47.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.26%


Target Compounds					Ovalue
13) Acetone	2.32	43	7054	3.127 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU030919\
Data File : VU029857.D
Acq On : 07 Mar 2019 17:05
Operator : JC/SP
Sample : K1734-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1E5

Quant Time: Mar 08 05:30:33 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 08 04:31:20 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.127 ug/L
 RT: 2.32 min Scan# 383
 Delta R.T. 0.00 min
 Lab File: VU029857.D
 Acq: 07 Mar 2019 17:05

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1E5

Tot Ion: 43 Resp: 7054
 Ion Ratio Lower Upper
 43 100
 58 37.0 0.0 66.8

