

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU030919\
 Data File : VU029859.D
 Acq On : 07 Mar 2019 17:52
 Operator : JC/SP
 Sample : K1734-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1G5

Quant Time: Mar 08 05:36:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 08 04:31:20 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	473182	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	459309	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	213744	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	137052	39.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.06%
7) Chloroethane-d5	1.68	69	117699	38.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	76.36%
11) 1,1-Dichloroethene-d2	2.27	63	193202	28.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.02%#
21) 2-Butanone-d5	4.17	46	219187	103.88	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.88%
24) Chloroform-d	4.64	84	268066	47.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.34%
26) 1,2-Dichloroethane-d4	5.31	65	167089	46.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.86%
32) Benzene-d6	5.34	84	571794	49.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.94%
36) 1,2-Dichloropropane-d6	6.33	67	179340	51.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.16%
41) Toluene-d8	7.56	98	520880	44.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.32%
43) trans-1,3-Dichloropropene-	7.85	79	80044	43.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.80%
47) 2-Hexanone-d5	8.31	63	176733	91.27	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.27%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	269936	45.94	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.88%
64) 1,2-Dichlorobenzene-d4	11.86	152	214218	46.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.02%


Target Compounds					Ovalue
13) Acetone	2.32	43	6669	2.958 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU030919\
Data File : VU029859.D
Acq On : 07 Mar 2019 17:52
Operator : JC/SP
Sample : K1734-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1G5

Quant Time: Mar 08 05:36:07 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM021519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 08 04:31:20 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.958 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU029859.D

Acq: 07 Mar 2019 17:52

Instrument :

MSVOA_U

ClientSampleId :

BF1G5

Tot Ion: 43 Resp: 6669

Ion Ratio Lower Upper

43 100

58 33.5 0.0 66.8

