

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031120\
 Data File : VU037174.D
 Acq On : 11 Mar 2020 18:20
 Operator : JC/MD
 Sample : L1883-12
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CON98

Quant Time: Mar 12 03:50:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Mar 12 01:55:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	119255	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	119290	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	40200	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	36956	4.72	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	94.40%
7) Chloroethane-d5	1.93	69	30663	5.54	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.80%
11) 1,1-Dichloroethene-d2	2.59	63	54805	3.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.00%
20) 2-Butanone-d5	4.67	46	95185	47.52	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.04%
24) Chloroform-d	5.11	84	74268	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.80%
26) 1,2-Dichloroethane-d4	5.74	65	44657	4.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.00%
32) Benzene-d6	5.76	84	135354	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.40%
36) 1,2-Dichloropropane-d6	6.72	67	44158	4.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.20%
41) Toluene-d8	7.93	98	121183	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.20%
43) trans-1,3-Dichloropropene-	8.20	79	16977	4.44	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.80%
46) 2-Hexanone-d5	8.66	63	71879	45.10	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.20%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	33924	4.35	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.00%
64) 1,2-Dichlorobenzene-d4	12.21	152	37989	5.47	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.40%


Target Compounds					Ovalue
13) Acetone	2.66	43	9834	5.991 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031120\
Data File : VU037174.D
Acq On : 11 Mar 2020 18:20
Operator : JC/MD
Sample : L1883-12
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
CON98

Quant Time: Mar 12 03:50:56 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Mar 12 01:55:55 2020
Response via : Initial Calibration





#13

Acetone

Concen: 5.991 ug/L

RT: 2.66 min Scan# 409

Delta R.T. -0.03 min

Lab File: VU037174.D

Acq: 11 Mar 2020 18:20

Instrument :
MSVOA_U
ClientSampleId :
CON98

Tot Ion: 43 Resp: 9834

Ion Ratio Lower Upper

43 100

58 23.2 0.0 52.2

