

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031219\
 Data File : VU029954.D
 Acq On : 10 Mar 2019 17:12
 Operator : JC/SP
 Sample : K1818-18DL 5X
 Misc : 5.63g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF0R8DL

Quant Time: Mar 11 08:24:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 11 07:10:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	564769	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	571257	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	281040	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	145560	42.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.48%
7) Chloroethane-d5	1.65	69	120577	41.62	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.24%
11) 1,1-Dichloroethene-d2	2.26	63	204820	31.53	ug/L	-0.01
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.06%
21) 2-Butanone-d5	4.17	46	249082	93.30	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.30%
24) Chloroform-d	4.64	84	276146	41.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.36%
26) 1,2-Dichloroethane-d4	5.30	65	169228	43.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.14%
32) Benzene-d6	5.33	84	613635	43.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.22%
36) 1,2-Dichloropropane-d6	6.32	67	188748	43.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.80%
41) Toluene-d8	7.56	98	581348	42.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.12%
43) trans-1,3-Dichloropropene-	7.85	79	85643	41.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.32%
47) 2-Hexanone-d5	8.31	63	208478	90.11	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.11%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	311071	45.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.64%
64) 1,2-Dichlorobenzene-d4	11.86	152	246735	44.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.52%


Target Compounds					Ovalue
3) Chloromethane	1.32	50	16021	2.810 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031219\
Data File : VU029954.D
Acq On : 10 Mar 2019 17:12
Operator : JC/SP
Sample : K1818-18DL 5X
Misc : 5.63q/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF0R8DL

Quant Time: Mar 11 08:24:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031119WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 11 07:10:15 2019
Response via : Initial Calibration





#3
 Chloromethane
 Concen: 2.810 ug/L
 RT: 1.32 min Scan# 73
 Delta R.T. -0.00 min
 Lab File: VU029954.D
 Acq: 10 Mar 2019 17:12

Instrument :
 MSVOA_U
 ClientSampleID :
 BF0R8DL

Tot Ion: 50 Resp: 16021
 Ion Ratio Lower Upper
 50 100
 52 30.6 23.1 42.9

