

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031219\
 Data File : VU029966.D
 Acq On : 11 Mar 2019 10:23
 Operator : JC/SP
 Sample : K1734-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF1E7

Quant Time: Mar 11 13:59:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Mar 11 12:44:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	504422	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	481115	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	230123	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	133246	43.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.60%
7) Chloroethane-d5	1.68	69	115451	44.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.24%
11) 1,1-Dichloroethene-d2	2.27	63	196226	33.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.66%
21) 2-Butanone-d5	4.17	46	222852	93.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.46%
24) Chloroform-d	4.64	84	278691	46.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.06%
26) 1,2-Dichloroethane-d4	5.31	65	171173	48.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.56%
32) Benzene-d6	5.34	84	598574	49.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.86%
36) 1,2-Dichloropropane-d6	6.33	67	183825	50.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.52%
41) Toluene-d8	7.56	98	547710	47.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.22%
43) trans-1,3-Dichloropropene-	7.85	79	82988	47.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.70%
47) 2-Hexanone-d5	8.31	63	160797	82.53	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	82.53%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	281622	49.25	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.50%
64) 1,2-Dichlorobenzene-d4	11.86	152	226968	50.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.58%


Target Compounds					Ovalue
13) Acetone	2.32	43	8974	3.450 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031219\
Data File : VU029966.D
Acq On : 11 Mar 2019 10:23
Operator : JC/SP
Sample : K1734-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF1E7

Quant Time: Mar 11 13:59:49 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031119WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Mar 11 12:44:43 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.450 ug/L

RT: 2.32 min Scan# 382

Delta R.T. -0.00 min

Lab File: VU029966.D

Acq: 11 Mar 2019 10:23

Instrument :
MSVOA_U
ClientSampleId :
BF1E7

Tot Ion: 43 Resp: 8974

Ion Ratio Lower Upper

43 100

58 33.3 0.0 70.2

