

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031221\
 Data File : VU042578.D
 Acq On : 11 Mar 2021 21:07
 Operator : SY/MD
 Sample : M1631-14
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B74

Quant Time: Mar 12 01:35:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Mar 12 01:30:46 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	81277	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.426	117	80347	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.822	152	36422	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	24884	4.59	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.80%
7) Chloroethane-d5	1.919	69	20506	5.00	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.00%
11) 1,1-Dichloroethene-d2	2.575	63	42752	3.49	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.80%
20) 2-Butanone-d5	4.652	46	78004	43.85	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	87.70%
24) Chloroform-d	5.076	84	51244	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.60%
26) 1,2-Dichloroethane-d4	5.713	65	34295	5.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.00%
32) Benzene-d6	5.735	84	93105	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.60%
36) 1,2-Dichloropropane-d6	6.700	67	30439	4.79	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.80%
41) Toluene-d8	7.906	98	89439	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.00%
43) trans-1,3-Dichloroprop...	8.189	79	12175	4.10	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.00%
46) 2-Hexanone-d5	8.645	63	61196	43.05	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.10%
57) 1,1,2,2-Tetrachloroeth...	10.764	84	26204	4.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.60%
64) 1,2-Dichlorobenzene-d4	12.201	152	34960	5.29	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.80%
Target Compounds						Qvalue
25) Chloroform	5.095	83	4211	0.35	ug/L	95
34) Trichloroethene	6.549	95	20546	2.95	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031221\
Data File : VU042578.D
Acq On : 11 Mar 2021 21:07
Operator : SY/MD
Sample : M1631-14
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B74

Quant Time: Mar 12 01:35:47 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Mar 12 01:30:46 2021
Response via : Initial Calibration









#25

Chloroform
Concen: 0.35 ug/L
RT: 5.095 min Scan# 1168
Delta R.T. -0.003 min
Lab File: VU042578.D
Acq: 11 Mar 2021 21:07

Instrument :
MSVOA_U
ClientSampled :
C0B74

Tgt Ion: 83 Resp: 4211
Ion Ratio Lower Upper
83 100
85 69.4 45.7 84.9



#34

Trichloroethene
Concen: 2.95 ug/L
RT: 6.549 min Scan# 1620
Delta R.T. -0.003 min
Lab File: VU042578.D
Acq: 11 Mar 2021 21:07

Tgt Ion: 95 Resp: 20546
Ion Ratio Lower Upper
95 100
97 57.1 44.4 82.4
132 93.5 68.0 126.4
130 97.5 69.2 128.4

