

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
 Data File : VU029982.D
 Acq On : 11 Mar 2019 21:51
 Operator : JC/SP
 Sample : K1796-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF5Q4

Quant Time: Mar 12 07:26:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 12 07:07:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	530148	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	507328	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	245776	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	148737	42.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.84%
7) Chloroethane-d5	1.68	69	126171	44.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.14%
11) 1,1-Dichloroethene-d2	2.27	63	211882	33.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.96%
21) 2-Butanone-d5	4.17	46	243638	92.73	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.73%
24) Chloroform-d	4.65	84	292378	46.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.96%
26) 1,2-Dichloroethane-d4	5.31	65	175572	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.62%
32) Benzene-d6	5.34	84	637859	48.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.68%
36) 1,2-Dichloropropane-d6	6.33	67	197350	49.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.76%
41) Toluene-d8	7.56	98	594438	48.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.22%
43) trans-1,3-Dichloropropene-	7.85	79	89902	46.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.88%
47) 2-Hexanone-d5	8.31	63	207500	92.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.78%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	284056	46.25	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.50%
64) 1,2-Dichlorobenzene-d4	11.86	152	236046	49.58	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.16%


Target Compounds					Qvalue
13) Acetone	2.32	43	7146	2.326 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
Data File : VU029982.D
Acq On : 11 Mar 2019 21:51
Operator : JC/SP
Sample : K1796-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF5Q4

Quant Time: Mar 12 07:26:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 12 07:07:04 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.326 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU029982.D

Acq: 11 Mar 2019 21:51

Instrument :
MSVOA_U
ClientSampleId :
BF5Q4

Tgt Ion: 43 Resp: 7146

Ion Ratio Lower Upper

43 100

58 35.8 0.0 73.0

