

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
 Data File : VU029992.D
 Acq On : 12 Mar 2019 01:43
 Operator : JC/SP
 Sample : K1796-14
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF5Q7

Quant Time: Mar 12 08:37:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 12 07:07:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	520454	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	496663	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	238389	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	146156	42.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.92%
7) Chloroethane-d5	1.68	69	125758	45.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.50%
11) 1,1-Dichloroethene-d2	2.27	63	213327	34.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.66%
21) 2-Butanone-d5	4.17	46	254208	98.56	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.56%
24) Chloroform-d	4.65	84	292391	47.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.70%
26) 1,2-Dichloroethane-d4	5.31	65	176387	49.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.88%
32) Benzene-d6	5.34	84	644004	50.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.74%
36) 1,2-Dichloropropane-d6	6.33	67	199078	50.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.76%
41) Toluene-d8	7.56	98	591270	49.39	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.78%
43) trans-1,3-Dichloropropene-	7.85	79	89557	47.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.50%
47) 2-Hexanone-d5	8.31	63	214621	98.03	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.03%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	290110	48.25	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.50%
64) 1,2-Dichlorobenzene-d4	11.86	152	237058	51.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.66%


Target Compounds					Qvalue
13) Acetone	2.32	43	6826	2.263 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
Data File : VU029992.D
Acq On : 12 Mar 2019 01:43
Operator : JC/SP
Sample : K1796-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF5Q7

Quant Time: Mar 12 08:37:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 12 07:07:04 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.263 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU029992.D

Acq: 12 Mar 2019 01:43

Instrument :

MSVOA_U

ClientSampleId :

BF5Q7

Tgt Ion: 43 Resp: 6826

Ion Ratio Lower Upper

43 100

58 31.3 0.0 73.0

