

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
 Data File : VU029993.D
 Acq On : 12 Mar 2019 02:07
 Operator : JC/SP
 Sample : K1796-16
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF5Q8

Quant Time: Mar 12 08:41:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 12 07:07:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	510188	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	490827	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	236097	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	175191	51.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.82%
7) Chloroethane-d5	1.68	69	140455	51.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.12%
11) 1,1-Dichloroethene-d2	2.27	63	232739	38.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.42%
21) 2-Butanone-d5	4.17	46	253332	100.19	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.19%
24) Chloroform-d	4.65	84	298537	49.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.64%
26) 1,2-Dichloroethane-d4	5.31	65	180540	51.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.24%
32) Benzene-d6	5.34	84	657569	52.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.08%
36) 1,2-Dichloropropane-d6	6.33	67	199493	51.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.18%
41) Toluene-d8	7.56	98	601873	50.87	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.74%
43) trans-1,3-Dichloropropene-	7.85	79	87587	46.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.52%
47) 2-Hexanone-d5	8.31	63	215807	99.74	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.74%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	287198	48.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.66%
64) 1,2-Dichlorobenzene-d4	11.86	152	236988	51.82	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.64%


Target Compounds					Qvalue
13) Acetone	2.32	43	10434	3.529 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
Data File : VU029993.D
Acq On : 12 Mar 2019 02:07
Operator : JC/SP
Sample : K1796-16
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF5Q8

Quant Time: Mar 12 08:41:20 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 12 07:07:04 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.529 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU029993.D

Acq: 12 Mar 2019 02:07

Instrument :
MSVOA_U
ClientSampleId :
BF5Q8

Tgt Ion: 43 Resp: 10434

Ion Ratio Lower Upper

43 100

58 36.9 0.0 73.0

