

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
 Data File : VU029994.D
 Acq On : 12 Mar 2019 02:30
 Operator : JC/SP
 Sample : K1796-17
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF5Q9

Quant Time: Mar 12 08:42:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 12 07:07:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	510936	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	488692	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	234692	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	176237	52.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	104.30%
7) Chloroethane-d5	1.68	69	140847	51.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.26%
11) 1,1-Dichloroethene-d2	2.27	63	236085	38.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.40%
21) 2-Butanone-d5	4.17	46	247979	97.93	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.93%
24) Chloroform-d	4.65	84	297923	49.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.28%
26) 1,2-Dichloroethane-d4	5.31	65	178022	50.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.66%
32) Benzene-d6	5.34	84	651963	51.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.66%
36) 1,2-Dichloropropane-d6	6.33	67	200112	51.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.96%
41) Toluene-d8	7.56	98	606267	51.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.94%
43) trans-1,3-Dichloropropene-	7.85	79	89683	48.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.18%
47) 2-Hexanone-d5	8.31	63	212659	98.72	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.72%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	286690	48.46	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.92%
64) 1,2-Dichlorobenzene-d4	11.85	152	240931	52.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.98%


Target Compounds					Qvalue
13) Acetone	2.32	43	6316	2.133 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
Data File : VU029994.D
Acq On : 12 Mar 2019 02:30
Operator : JC/SP
Sample : K1796-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF5Q9

Quant Time: Mar 12 08:42:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 12 07:07:04 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.133 ug/L
 RT: 2.32 min Scan# 383
 Delta R.T. 0.00 min
 Lab File: VU029994.D
 Acq: 12 Mar 2019 02:30

Instrument :
 MSVOA_U
 ClientSampleId :
 BF5Q9

Tgt Ion: 43 Resp: 6316
 Ion Ratio Lower Upper
 43 100
 58 32.5 0.0 73.0

