

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
 Data File : VU029995.D
 Acq On : 12 Mar 2019 02:53
 Operator : JC/SP
 Sample : K1796-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF5R0

Quant Time: Mar 12 08:48:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 12 07:07:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	511500	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	494326	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	234841	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	177011	52.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	104.64%
7) Chloroethane-d5	1.68	69	142840	52.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	104.60%
11) 1,1-Dichloroethene-d2	2.27	63	240870	39.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.88%
21) 2-Butanone-d5	4.17	46	255405	100.76	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.76%
24) Chloroform-d	4.65	84	304004	50.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.18%
26) 1,2-Dichloroethane-d4	5.31	65	182715	52.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.22%
32) Benzene-d6	5.34	84	673088	52.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.80%
36) 1,2-Dichloropropane-d6	6.33	67	202060	51.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.76%
41) Toluene-d8	7.56	98	610020	51.20	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.40%
43) trans-1,3-Dichloropropene-	7.85	79	88640	46.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.98%
47) 2-Hexanone-d5	8.31	63	214685	98.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.52%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	292328	48.85	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.70%
64) 1,2-Dichlorobenzene-d4	11.86	152	244777	53.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.62%


Target Compounds					Qvalue
13) Acetone	2.32	43	82614	27.874 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU031319\
Data File : VU029995.D
Acq On : 12 Mar 2019 02:53
Operator : JC/SP
Sample : K1796-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF5R0

Quant Time: Mar 12 08:48:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 12 07:07:04 2019
Response via : Initial Calibration





#13

Acetone

Concen: 27.874 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU029995.D

Acq: 12 Mar 2019 02:53

Instrument :
MSVOA_U
ClientSampleId :
BF5R0

Tgt Ion: 43 Resp: 82614

Ion Ratio Lower Upper

43 100

58 36.6 0.0 73.0

