

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031320\
 Data File : VU037253.D
 Acq On : 13 Mar 2020 19:50
 Operator : JC/MD
 Sample : L1900-10
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COND1

Quant Time: Mar 14 01:47:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Mar 14 00:24:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	120368	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	119969	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	52223	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	36415	4.61	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.20%
7) Chloroethane-d5	1.93	69	31545	5.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.00%
11) 1,1-Dichloroethene-d2	2.59	63	53315	3.27	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.40%
20) 2-Butanone-d5	4.67	46	94109	46.55	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.10%
24) Chloroform-d	5.11	84	68260	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.40%
26) 1,2-Dichloroethane-d4	5.74	65	45569	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.20%
32) Benzene-d6	5.76	84	137471	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.20%
36) 1,2-Dichloropropane-d6	6.72	67	44150	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.93	98	125554	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.80%
43) trans-1,3-Dichloropropene-	8.21	79	17575	4.57	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.40%
46) 2-Hexanone-d5	8.66	63	76606	47.79	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.58%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	34537	4.40	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.00%
64) 1,2-Dichlorobenzene-d4	12.21	152	46120	5.11	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.20%


Target Compounds					Ovalue
13) Acetone	2.66	43	2226	1.344 ug/L	97
25) Chloroform	5.13	83	9032	0.492 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031320\
Data File : VU037253.D
Acq On : 13 Mar 2020 19:50
Operator : JC/MD
Sample : L1900-10
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COND1

Quant Time: Mar 14 01:47:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Mar 14 00:24:25 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.344 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037253.D

Acq: 13 Mar 2020 19:50

Instrument :

MSVOA_U

ClientSampleId :


COND1

Tot Ion: 43 Resp: 2226

Ion Ratio Lower Upper

43 100

58 27.6 0.0 52.2



Abundance Ion 43.05 (42.75 to 43.75): VU037239.D (-397) (-)

Ion 58.05 (57.75 to 58.75): VU037239.D (-397) (-)

2.66

1500



1000

500

0

Time-->

2.60 2.65 2.70



#25

Chloroform

Concen: 0.492 ug/L

RT: 5.13 min Scan# 1178

Delta R.T. 0.00 min

Lab File: VU037253.D


Acq: 13 Mar 2020 19:50

Tgt Ion: 83 Resp: 9032

Ion Ratio Lower Upper

83 100

85 60.4 45.3 84.1



Abundance Ion 83.05 (82.75 to 83.75): VU037239.D (-1164) (-)

Ion 85.00 (84.70 to 85.70): VU037239.D (-1164) (-)

5.13

4000

3000

2000

1000

0

Time-->

5.05 5.10 5.15 5.20

