

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031320\
 Data File : VU037257.D
 Acq On : 13 Mar 2020 21:30
 Operator : JC/MD
 Sample : L1900-13
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COND8

Quant Time: Mar 14 02:14:13 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Mar 14 00:24:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	122005	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	123213	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	51050	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	36398	4.54	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.80%
7) Chloroethane-d5	1.93	69	30716	5.43	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	108.60%
11) 1,1-Dichloroethene-d2	2.59	63	52205	3.16	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.20%
20) 2-Butanone-d5	4.67	46	96124	46.91	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.82%
24) Chloroform-d	5.11	84	73332	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.60%
26) 1,2-Dichloroethane-d4	5.74	65	45298	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
32) Benzene-d6	5.76	84	136729	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.40%
36) 1,2-Dichloropropane-d6	6.72	67	44032	4.49	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.80%
41) Toluene-d8	7.93	98	123474	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
43) trans-1,3-Dichloropropene-	8.20	79	18137	4.59	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.80%
46) 2-Hexanone-d5	8.66	63	76296	46.34	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.68%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	35339	4.39	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.80%
64) 1,2-Dichlorobenzene-d4	12.21	152	45600	5.17	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.40%


Target Compounds					Ovalue
13) Acetone	2.66	43	4402	2.621 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031320\
Data File : VU037257.D
Acq On : 13 Mar 2020 21:30
Operator : JC/MD
Sample : L1900-13
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COND8

Quant Time: Mar 14 02:14:13 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Mar 14 00:24:25 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.621 ug/L
 RT: 2.66 min Scan# 410
 Delta R.T. 0.01 min
 Lab File: VU037257.D
 Acq: 13 Mar 2020 21:30

Instrument :
 MSVOA_U
 ClientSampleId :
 COND8

Tot Ion: 43 Resp: 4402
 Ion Ratio Lower Upper
 43 100
 58 28.6 0.0 52.2

