

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU031321\  
 Data File : VU042648.D  
 Acq On : 13 Mar 2021 07:13  
 Operator : SY/MD  
 Sample : M1676-19  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 49 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 C0AE8

Quant Time: Mar 13 07:49:25 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SOMUTR030221WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Sat Mar 13 06:39:26 2021  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|--------|------|----------|------|-------|----------|
| -----                      |        |      |          |      |       |          |
| Internal Standards         |        |      |          |      |       |          |
| 1) 1,4-Difluorobenzene     | 6.256  | 114  | 75225    | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.423  | 117  | 73433    | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.819 | 152  | 32979    | 5.00 | ug/L  | 0.00     |

|                               |        |       |          |          |      |         |
|-------------------------------|--------|-------|----------|----------|------|---------|
| System Monitoring Compounds   |        |       |          |          |      |         |
| 4) Vinyl Chloride-d3          | 1.604  | 65    | 21465    | 4.28     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =    | 85.60%  |
| 7) Chloroethane-d5            | 1.919  | 69    | 20665    | 5.44     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =    | 108.80% |
| 11) 1,1-Dichloroethene-d2     | 2.575  | 63    | 35790    | 3.16     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =    | 63.20%  |
| 20) 2-Butanone-d5             | 4.642  | 46    | 85113    | 51.69    | ug/L | 0.00    |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =    | 103.38% |
| 24) Chloroform-d              | 5.073  | 84    | 49150    | 4.96     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =    | 99.20%  |
| 26) 1,2-Dichloroethane-d4     | 5.710  | 65    | 33177    | 5.44     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =    | 108.80% |
| 32) Benzene-d6                | 5.739  | 84    | 87910    | 4.88     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =    | 97.60%  |
| 36) 1,2-Dichloropropane-d6    | 6.700  | 67    | 29862    | 5.14     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =    | 102.80% |
| 41) Toluene-d8                | 7.906  | 98    | 81451    | 4.63     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =    | 92.60%  |
| 43) trans-1,3-Dichloroprop... | 8.186  | 79    | 9973     | 3.68     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =    | 73.60%  |
| 46) 2-Hexanone-d5             | 8.645  | 63    | 60598    | 46.64    | ug/L | 0.00    |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =    | 93.28%  |
| 57) 1,1,2,2-Tetrachloroeth... | 10.764 | 84    | 26632    | 5.15     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =    | 103.00% |
| 64) 1,2-Dichlorobenzene-d4    | 12.201 | 152   | 32008    | 5.35     | ug/L | 0.00    |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =    | 107.00% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU031321\  
Data File : VU042648.D  
Acq On : 13 Mar 2021 07:13  
Operator : SY/MD  
Sample : M1676-19  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 49 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0AE8

Quant Time: Mar 13 07:49:25 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SOMUTR030221WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Sat Mar 13 06:39:26 2021  
Response via : Initial Calibration

