

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031321\
 Data File : VU042639.D
 Acq On : 13 Mar 2021 03:36
 Operator : SY/MD
 Sample : M1676-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AD9

Quant Time: Mar 13 06:45:23 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Mar 13 06:39:26 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.259	114	79850	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	77114	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.819	152	35001	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	20913	3.93	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.60%
7) Chloroethane-d5	1.919	69	19298	4.79	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.80%
11) 1,1-Dichloroethene-d2	2.575	63	35331	2.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.80%#
20) 2-Butanone-d5	4.642	46	80626	46.13	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.26%
24) Chloroform-d	5.073	84	47872	4.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.00%
26) 1,2-Dichloroethane-d4	5.713	65	32998	5.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.00%
32) Benzene-d6	5.735	84	87699	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.80%
36) 1,2-Dichloropropane-d6	6.700	67	29876	4.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.00%
41) Toluene-d8	7.906	98	84375	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.40%
43) trans-1,3-Dichloroprop...	8.189	79	10550	3.70	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.00%
46) 2-Hexanone-d5	8.645	63	57837	42.39	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.78%
57) 1,1,2,2-Tetrachloroeth...	10.764	84	24530	4.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.20%
64) 1,2-Dichlorobenzene-d4	12.201	152	31924	5.03	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.60%
Target Compounds						Qvalue
13) Acetone	2.645	43	1436	1.07	ug/L	63
47) Tetrachloroethene	8.562	164	8429	1.55	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031321\
Data File : VU042639.D
Acq On : 13 Mar 2021 03:36
Operator : SY/MD
Sample : M1676-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AD9

Quant Time: Mar 13 06:45:23 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SOMUTR030221WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Mar 13 06:39:26 2021
Response via : Initial Calibration









#13
Acetone
Concen: 1.07 ug/L
RT: 2.645 min Scan# 406
Delta R.T. -0.007 min
Lab File: VU042639.D
Acq: 13 Mar 2021 03:36

Instrument :
MSVOA_U
ClientSampleId :
C0AD9

Tgt Ion: 43 Resp: 1436
Ion Ratio Lower Upper
43 100
58 8.7 0.0 55.8



#47
Tetrachloroethene
Concen: 1.55 ug/L
RT: 8.562 min Scan# 2246
Delta R.T. -0.000 min
Lab File: VU042639.D
Acq: 13 Mar 2021 03:36

Tgt Ion: 164 Resp: 8429
Ion Ratio Lower Upper
164 100
129 89.5 64.3 119.5
131 83.5 62.2 115.6
166 122.7 88.6 164.6

