

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031420\
 Data File : VU037268.D
 Acq On : 14 Mar 2020 17:24
 Operator : JC/MD
 Sample : L1923-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CONF9

Quant Time: Mar 16 05:55:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Mar 16 05:16:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	117133	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	116504	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	47481	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	36323	4.72	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	94.40%
7) Chloroethane-d5	1.93	69	32263	5.94	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	118.80%
11) 1,1-Dichloroethene-d2	2.59	63	52803	3.33	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.60%
20) 2-Butanone-d5	4.67	46	100866	51.27	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.54%
24) Chloroform-d	5.11	84	77826	4.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.00%
26) 1,2-Dichloroethane-d4	5.74	65	45650	5.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.00%
32) Benzene-d6	5.76	84	139476	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.40%
36) 1,2-Dichloropropane-d6	6.73	67	45376	4.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.00%
41) Toluene-d8	7.93	98	125979	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.80%
43) trans-1,3-Dichloropropene-	8.20	79	17620	4.72	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.40%
46) 2-Hexanone-d5	8.66	63	83032	53.34	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.68%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	36436	4.78	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.60%
64) 1,2-Dichlorobenzene-d4	12.21	152	45785	5.58	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.60%


Target Compounds					Ovalue
13) Acetone	2.67	43	2661	1.651 ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031420\
Data File : VU037268.D
Acq On : 14 Mar 2020 17:24
Operator : JC/MD
Sample : L1923-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
CONF9

Quant Time: Mar 16 05:55:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Mar 16 05:16:55 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.651 ug/L
 RT: 2.67 min Scan# 413
 Delta R.T. 0.01 min
 Lab File: VU037268.D
 Acq: 14 Mar 2020 17:24

Instrument :
 MSVOA_U
 ClientSampleId :
 CONF9

Tot Ion: 43 Resp: 2661
 Ion Ratio Lower Upper
 43 100
 58 18.0 0.0 52.2

