

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031420\
 Data File : VU037270.D
 Acq On : 14 Mar 2020 18:13
 Operator : JC/MD
 Sample : L1923-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0NG1

Quant Time: Mar 16 06:01:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Mar 16 05:16:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	120397	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	121184	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	48061	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	35314	4.47	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.40%
7) Chloroethane-d5	1.93	69	31583	5.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.00%
11) 1,1-Dichloroethene-d2	2.59	63	50444	3.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.00%
20) 2-Butanone-d5	4.67	46	93129	46.05	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.10%
24) Chloroform-d	5.11	84	72741	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.00%
26) 1,2-Dichloroethane-d4	5.74	65	43884	4.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.60%
32) Benzene-d6	5.76	84	132967	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.20%
36) 1,2-Dichloropropane-d6	6.72	67	43980	4.56	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.20%
41) Toluene-d8	7.92	98	121769	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.20%
43) trans-1,3-Dichloropropene-	8.20	79	16592	4.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.40%
46) 2-Hexanone-d5	8.66	63	75462	46.60	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.20%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	35547	4.49	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.80%
64) 1,2-Dichlorobenzene-d4	12.21	152	43163	5.20	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.00%


Target Compounds					Ovalue
13) Acetone	2.66	43	2624	1.583 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031420\
Data File : VU037270.D
Acq On : 14 Mar 2020 18:13
Operator : JC/MD
Sample : L1923-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0NG1

Quant Time: Mar 16 06:01:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR031120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Mar 16 05:16:55 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.583 ug/L

RT: 2.66 min Scan# 410

Delta R.T. -0.00 min

Lab File: VU037270.D

Acq: 14 Mar 2020 18:13

Instrument :
MSVOA_U
ClientSampleId :
C0NG1

Tot Ion: 43 Resp: 2624

Ion Ratio Lower Upper

43 100

58 27.3 0.0 52.2

