

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031422\
 Data File : VU047547.D
 Acq On : 14 Mar 2022 20:05
 Operator : SY/MD
 Sample : N1861-22
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YATN2

Quant Time: Mar 15 06:15:40 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR031422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Mar 15 05:45:04 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	148138	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	144764	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	74800	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	41283	4.261	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.200%
7) Chloroethane-d5	1.919	69	39999	4.549	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.000%
11) 1,1-Dichloroethene-d2	2.572	65	18211	4.008	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.200%
20) 2-Butanone-d5	4.642	46	162133	58.163	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.320%
24) Chloroform-d	5.067	84	96268	4.525	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.600%
26) 1,2-Dichloroethane-d4	5.706	65	55011	4.772	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.400%
32) Benzene-d6	5.732	84	185744	4.408	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.200%
36) 1,2-Dichloropropane-d6	6.694	67	62192	4.693	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.800%
41) Toluene-d8	7.899	98	160460	4.061	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.200%
43) trans-1,3-Dichloroprop...	8.182	79	23921	4.294	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.800%
46) 2-Hexanone-d5	8.636	63	141552	49.012	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.020%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	60423	4.566	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.400%
66) 1,2-Dichlorobenzene-d4	12.192	152	73407	4.696	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.000%
Target Compounds						
					Qvalue	
13) Acetone	2.658	43	57129	52.562	ug/L	97
21) 2-Butanone	4.726	43	5041	2.438	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031422\
Data File : VU047547.D
Acq On : 14 Mar 2022 20:05
Operator : SY/MD
Sample : N1861-22
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YATN2

Quant Time: Mar 15 06:15:40 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR031422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Mar 15 05:45:04 2022
Response via : Initial Calibration





#13

Acetone

Concen: 52.562 ug/L

RT: 2.658 min Scan# 411

Delta R.T. -0.003 min

Lab File: VU047547.D

Acq: 14 Mar 2022 20:05

Instrument :

MSVOA_U

ClientSampleId :





YATN2

Tgt Ion: 43 Resp: 57129

Ion Ratio Lower Upper

43 100

58 33.1 0.0 69.4



#21

2-Butanone

Concen: 2.438 ug/L

RT: 4.726 min Scan# 1053

Delta R.T. 0.000 min

Lab File: VU047547.D

Acq: 14 Mar 2022 20:05

Tgt Ion: 43 Resp: 5041

Ion Ratio Lower Upper

43 100

72 32.5 14.9 44.7

