

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
 Data File : VU030086.D
 Acq On : 14 Mar 2019 20:01
 Operator : JC/SP
 Sample : K1859-04
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BQ9

Quant Time: Mar 15 03:54:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 02:44:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	448811	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	431079	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	209356	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	144710	48.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.50%
7) Chloroethane-d5	1.68	69	118501	49.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.90%
11) 1,1-Dichloroethene-d2	2.27	63	194703	36.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.68%
21) 2-Butanone-d5	4.17	46	201912	90.78	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.78%
24) Chloroform-d	4.65	84	250356	47.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.02%
26) 1,2-Dichloroethane-d4	5.31	65	150281	48.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.70%
32) Benzene-d6	5.34	84	540000	48.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.32%
36) 1,2-Dichloropropane-d6	6.33	67	170066	50.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.16%
41) Toluene-d8	7.56	98	488755	47.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.08%
43) trans-1,3-Dichloropropene-	7.85	79	73840	44.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.76%
47) 2-Hexanone-d5	8.31	63	170564	89.76	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.76%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	239067	45.81	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.62%
64) 1,2-Dichlorobenzene-d4	11.86	152	195646	48.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.48%

Target Compounds					Qvalue
13) Acetone	2.32	43	7748	2.979 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
Data File : VU030086.D
Acq On : 14 Mar 2019 20:01
Operator : JC/SP
Sample : K1859-04
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BQ9

Quant Time: Mar 15 03:54:09 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 02:44:49 2019
Response via : Initial Calibration

