

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
 Data File : VU030068.D
 Acq On : 14 Mar 2019 12:53
 Operator : JC/SP
 Sample : K1859-06
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BR1

Quant Time: Mar 15 02:14:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 01:21:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	456626	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	447052	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	217683	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	148787	49.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.52%
7) Chloroethane-d5	1.68	69	120277	49.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.66%
11) 1,1-Dichloroethene-d2	2.27	63	205067	37.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.24%
21) 2-Butanone-d5	4.17	46	204776	90.49	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.49%
24) Chloroform-d	4.65	84	254885	47.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.10%
26) 1,2-Dichloroethane-d4	5.31	65	152938	48.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.72%
32) Benzene-d6	5.34	84	556558	48.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.72%
36) 1,2-Dichloropropane-d6	6.33	67	173864	49.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.74%
41) Toluene-d8	7.56	98	505070	46.87	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.74%
43) trans-1,3-Dichloropropene-	7.85	79	77401	45.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.74%
47) 2-Hexanone-d5	8.31	63	180274	91.48	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.48%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	244230	45.13	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.26%
64) 1,2-Dichlorobenzene-d4	11.86	152	202999	48.14	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.28%


Target Compounds					Qvalue
13) Acetone	2.32	43	9285	3.509 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
Data File : VU030068.D
Acq On : 14 Mar 2019 12:53
Operator : JC/SP
Sample : K1859-06
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BR1

Quant Time: Mar 15 02:14:47 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 01:21:27 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.509 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU030068.D

Acq: 14 Mar 2019 12:53


Instrument :
MSVOA_U
ClientSampleId :
C0BR1

Tgt Ion: 43 Resp: 9285

Ion Ratio Lower Upper

43 100

58 29.9 0.0 73.0



Abundance Ion 43.00 (42.70 to 43.70): VU0

Ion 58.00 (57.70 to 58.70): VU0

2.32

5000

4000

3000

2000

1000

0

Time-->

2.25

2.30

2.35

