

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
 Data File : VU030081.D
 Acq On : 14 Mar 2019 18:07
 Operator : JC/SP
 Sample : K1917-19
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C09H9

Quant Time: Mar 15 03:05:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 02:44:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	498445	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	483570	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	230392	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	121359	36.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.62%
7) Chloroethane-d5	1.68	69	106354	39.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	79.92%
11) 1,1-Dichloroethene-d2	2.27	63	178661	30.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.04%
21) 2-Butanone-d5	4.17	46	225667	91.36	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.36%
24) Chloroform-d	4.65	84	263227	44.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.02%
26) 1,2-Dichloroethane-d4	5.31	65	156004	45.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.32%
32) Benzene-d6	5.34	84	560201	45.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.00%
36) 1,2-Dichloropropane-d6	6.33	67	174986	45.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.86%
41) Toluene-d8	7.56	98	500498	42.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.88%
43) trans-1,3-Dichloropropene-	7.85	79	80983	43.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.76%
47) 2-Hexanone-d5	8.31	63	197034	92.43	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.43%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	268213	45.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.64%
64) 1,2-Dichlorobenzene-d4	11.86	152	215948	48.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.76%


Target Compounds					Qvalue
13) Acetone	2.32	43	17099	5.920 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
Data File : VU030081.D
Acq On : 14 Mar 2019 18:07
Operator : JC/SP
Sample : K1917-19
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C09H9

Quant Time: Mar 15 03:05:54 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 02:44:49 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.920 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU030081.D

Acq: 14 Mar 2019 18:07

Instrument :

MSVOA_U

ClientSampleId :

C09H9

Tgt Ion: 43 Resp: 17099

Ion Ratio Lower Upper

43 100

58 40.3 0.0 73.0

