

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
 Data File : VU030084.D
 Acq On : 14 Mar 2019 19:15
 Operator : JC/SP
 Sample : K1859-02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BQ7

Quant Time: Mar 15 03:49:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 15 02:44:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	459165	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	442633	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	209920	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	152051	50.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.12%
7) Chloroethane-d5	1.68	69	119196	48.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.24%
11) 1,1-Dichloroethene-d2	2.27	63	200485	36.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.14%
21) 2-Butanone-d5	4.17	46	207017	90.97	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.97%
24) Chloroform-d	4.65	84	253297	46.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.98%
26) 1,2-Dichloroethane-d4	5.31	65	151503	48.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.28%
32) Benzene-d6	5.34	84	555885	48.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.58%
36) 1,2-Dichloropropane-d6	6.33	67	172561	49.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.96%
41) Toluene-d8	7.56	98	502872	47.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.26%
43) trans-1,3-Dichloropropene-	7.85	79	75615	44.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.52%
47) 2-Hexanone-d5	8.31	63	172164	88.23	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.23%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	244051	45.54	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.08%
64) 1,2-Dichlorobenzene-d4	11.86	152	201290	49.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.00%


Target Compounds					Qvalue
13) Acetone	2.32	43	11453	4.305 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU031519\
Data File : VU030084.D
Acq On : 14 Mar 2019 19:15
Operator : JC/SP
Sample : K1859-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BQ7

Quant Time: Mar 15 03:49:42 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 15 02:44:49 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.305 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU030084.D

Acq: 14 Mar 2019 19:15

Instrument :

MSVOA_U

ClientSampleId :

C0BQ7

Tgt Ion: 43 Resp: 11453

Ion Ratio Lower Upper

43 100

58 38.3 0.0 73.0

