

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031619\
 Data File : VU030108.D
 Acq On : 15 Mar 2019 14:03
 Operator : JC/SP
 Sample : K1917-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0963

Quant Time: Mar 16 00:44:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 16 00:02:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	530299	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	504693	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	238268	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	127449	36.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.66%
7) Chloroethane-d5	1.68	69	115037	40.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.26%
11) 1,1-Dichloroethene-d2	2.27	63	186100	29.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.78%#
21) 2-Butanone-d5	4.17	46	253457	96.44	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.44%
24) Chloroform-d	4.65	84	280203	44.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.06%
26) 1,2-Dichloroethane-d4	5.31	65	171302	47.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.26%
32) Benzene-d6	5.34	84	586864	45.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.34%
36) 1,2-Dichloropropane-d6	6.33	67	190391	47.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.76%
41) Toluene-d8	7.56	98	529777	43.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.10%
43) trans-1,3-Dichloropropene-	7.85	79	79721	41.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.78%
47) 2-Hexanone-d5	8.31	63	204042	91.71	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.71%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	290105	47.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.96%
64) 1,2-Dichlorobenzene-d4	11.86	152	226517	49.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.16%

Target Compounds

					Ovalue
33) Benzene	5.39	78	33378	2.311 ug/L	100
51) Chlorobenzene	9.12	112	30427	2.874 ug/L	98
63) 1,4-Dichlorobenzene	11.50	146	12252	1.566 ug/L	97
65) 1,2-Dichlorobenzene	11.87	146	9012	1.164 ug/L #	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU031619\
Data File : VU030108.D
Acq On : 15 Mar 2019 14:03
Operator : JC/SP
Sample : K1917-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0963

Quant Time: Mar 16 00:44:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 16 00:02:21 2019
Response via : Initial Calibration

