

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031619\
 Data File : VU030123.D
 Acq On : 15 Mar 2019 20:02
 Operator : JC/SP
 Sample : K1917-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C09G2

Quant Time: Mar 16 01:31:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 16 00:52:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	517735	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	492740	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	230430	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	123380	36.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.06%
7) Chloroethane-d5	1.68	69	111997	40.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.02%
11) 1,1-Dichloroethene-d2	2.27	63	180509	29.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.40%#
21) 2-Butanone-d5	4.18	46	253701	98.88	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.88%
24) Chloroform-d	4.65	84	274026	44.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.22%
26) 1,2-Dichloroethane-d4	5.31	65	167235	47.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.24%
32) Benzene-d6	5.34	84	578771	45.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.26%
36) 1,2-Dichloropropane-d6	6.33	67	187078	48.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.38%
41) Toluene-d8	7.56	98	520954	43.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.72%
43) trans-1,3-Dichloropropene-	7.85	79	74265	39.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.98%
47) 2-Hexanone-d5	8.31	63	206141	94.90	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.90%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	285363	47.84	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	220693	49.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.88%


Target Compounds					Ovalue
13) Acetone	2.32	43	8181	2.727 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU031619\
Data File : VU030123.D
Acq On : 15 Mar 2019 20:02
Operator : JC/SP
Sample : K1917-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C09G2

Quant Time: Mar 16 01:31:59 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM031319WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 16 00:52:41 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.727 ug/L
 RT: 2.32 min Scan# 383
 Delta R.T. -0.00 min
 Lab File: VU030123.D
 Acq: 15 Mar 2019 20:02

Instrument :
 MSVOA_U
 ClientSampleId :
 C09G2

Tot Ion: 43 Resp: 8181
 Ion Ratio Lower Upper
 43 100
 58 35.2 0.0 73.0

