

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
 Data File : VU053249.D
 Acq On : 17 Mar 2023 00:33
 Operator : JC/MD
 Sample : 01930-20 200X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYFF9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
 Title : VOC Analysis

Signal : TIC: VU053249.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	96	rVB	70483	79418	14.71%	1.934%
2	1.909	169	177	193	rVB	57515	76815	14.23%	1.871%
3	2.565	369	381	396	rVB	109726	177711	32.93%	4.328%
4	3.041	522	529	536	rVB4	966	1526	0.28%	0.037%
5	3.231	586	588	591	rBV	179	91	0.02%	0.002%
6	3.398	638	640	643	rBV	173	73	0.01%	0.002%
7	3.414	643	645	650	rVB	172	104	0.02%	0.003%
8	3.517	675	677	679	rBV	217	117	0.02%	0.003%
9	3.768	753	755	759	rVB	167	64	0.01%	0.002%
10	3.916	799	801	803	rVB	132	52	0.01%	0.001%
11	3.986	821	823	825	rVB	181	74	0.01%	0.002%
12	4.009	825	830	835	rVB2	286	284	0.05%	0.007%
13	4.523	987	990	993	rBV	132	94	0.02%	0.002%
14	4.613	1007	1018	1047	rBV	43201	107571	19.93%	2.620%
15	4.938	1116	1119	1125	rVB2	168	143	0.03%	0.003%
16	5.057	1140	1156	1174	rBV	100272	217459	40.29%	5.296%
17	5.604	1323	1326	1330	rVB	291	202	0.04%	0.005%
18	5.633	1331	1335	1338	rBV	180	204	0.04%	0.005%
19	5.719	1340	1362	1384	rBV2	201065	539731	100.00%	13.144%
20	5.848	1398	1402	1405	rVB2	269	229	0.04%	0.006%
21	5.874	1405	1410	1413	rBV2	404	400	0.07%	0.010%
22	5.935	1426	1429	1430	rBV2	253	87	0.02%	0.002%
23	5.977	1441	1442	1443	rBV2	112	28	0.01%	0.001%
24	6.054	1463	1466	1467	rBV2	137	62	0.01%	0.002%
25	6.105	1480	1482	1486	rVB	188	68	0.01%	0.002%
26	6.186	1505	1507	1509	rVB	131	52	0.01%	0.001%
27	6.243	1511	1525	1546	rVV	179226	337124	62.46%	8.210%
28	6.350	1556	1558	1566	rBV2	237	276	0.05%	0.007%
29	6.462	1591	1593	1595	rBV	157	108	0.02%	0.003%
30	6.526	1608	1613	1615	rBV2	597	476	0.09%	0.012%
31	6.597	1633	1635	1637	rBB	134	72	0.01%	0.002%
32	6.623	1638	1643	1647	rBV	219	326	0.06%	0.008%
33	6.684	1649	1662	1685	rVV	128773	248309	46.01%	6.047%
34	6.797	1695	1697	1699	rBV	179	97	0.02%	0.002%
35	6.809	1699	1701	1706	rVV2	273	230	0.04%	0.006%
36	6.877	1719	1722	1725	rBV	195	147	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
 Data File : VU053249.D
 Acq On : 17 Mar 2023 00:33
 Operator : JC/MD
 Sample : 01930-20 200X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYFF9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
 Title : VOC Analysis

37	6.973	1749	1752	1756	rBB2	311	289	0.05%	0.007%
38	6.996	1756	1759	1762	rBV	185	176	0.03%	0.004%
39	7.057	1774	1778	1785	rBV2	188	182	0.03%	0.004%
40	7.137	1801	1803	1807	rVB	197	102	0.02%	0.002%
41	7.186	1810	1818	1824	rBV2	736	953	0.18%	0.023%
42	7.562	1923	1935	1951	rBV	73076	125438	23.24%	3.055%
43	7.684	1970	1973	1977	rBV2	491	436	0.08%	0.011%
44	7.893	2025	2038	2064	rBV	244980	420876	77.98%	10.250%
45	8.105	2099	2104	2107	rBV	262	259	0.05%	0.006%
46	8.176	2115	2126	2143	rBV2	48836	81760	15.15%	1.991%
47	8.587	2252	2254	2256	rBV	162	91	0.02%	0.002%
48	8.626	2256	2266	2297	rVV2	126038	232717	43.12%	5.667%
49	8.761	2304	2308	2311	rBV2	211	137	0.03%	0.003%
50	8.790	2314	2317	2319	rBV	225	186	0.03%	0.005%
51	8.874	2340	2343	2347	rBV	237	186	0.03%	0.005%
52	8.944	2363	2365	2367	rBV	171	77	0.01%	0.002%
53	9.002	2379	2383	2384	rBV	196	141	0.03%	0.003%
54	9.214	2446	2449	2451	rBV	269	200	0.04%	0.005%
55	9.250	2458	2460	2466	rBV	197	132	0.02%	0.003%
56	9.411	2499	2510	2529	rBV	251775	411147	76.18%	10.013%
57	9.520	2541	2544	2548	rVB3	367	336	0.06%	0.008%
58	9.571	2557	2560	2562	rBV2	289	149	0.03%	0.004%
59	9.703	2596	2601	2606	rBV2	194	227	0.04%	0.006%
60	9.867	2649	2652	2656	rBV2	208	183	0.03%	0.004%
61	9.980	2684	2687	2689	rBV	173	96	0.02%	0.002%
62	10.256	2770	2773	2774	rBV2	180	101	0.02%	0.002%
63	10.314	2789	2791	2795	rVB	226	129	0.02%	0.003%
64	10.343	2797	2800	2803	rBV	180	123	0.02%	0.003%
65	10.668	2899	2901	2903	rBV	125	55	0.01%	0.001%
66	10.751	2915	2927	2945	rVB	166211	262267	48.59%	6.387%
67	10.816	2945	2947	2949	rBV	147	71	0.01%	0.002%
68	11.057	3020	3022	3028	rBV	216	120	0.02%	0.003%
69	11.086	3028	3031	3034	rVB	207	96	0.02%	0.002%
70	11.182	3059	3061	3064	rBV	197	96	0.02%	0.002%
71	11.282	3089	3092	3096	rBV	228	104	0.02%	0.003%
72	11.314	3100	3102	3104	rBV	133	58	0.01%	0.001%
73	11.330	3104	3107	3109	rBV	234	162	0.03%	0.004%
74	11.465	3147	3149	3153	rBV2	144	109	0.02%	0.003%
75	11.658	3208	3209	3213	rBB	151	72	0.01%	0.002%
76	11.806	3244	3255	3277	rBV	264406	417006	77.26%	10.155%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
 Data File : VU053249.D
 Acq On : 17 Mar 2023 00:33
 Operator : JC/MD
 Sample : 01930-20 200X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EYFF9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
 Title : VOC Analysis

77	12.076	3336	3339	3342	rBV	137	74	0.01%	0.002%
78	12.189	3362	3374	3393	rBV	219171	356826	66.11%	8.690%
79	12.311	3409	3412	3415	rBV	177	104	0.02%	0.003%
80	12.783	3558	3559	3560	rBV	140	43	0.01%	0.001%
81	12.918	3599	3601	3605	rVB	151	81	0.02%	0.002%
82	13.131	3665	3667	3672	rBV	154	85	0.02%	0.002%
83	13.870	3896	3897	3901	rBV	130	72	0.01%	0.002%
84	13.983	3929	3932	3934	rBV2	203	149	0.03%	0.004%
85	14.256	4014	4017	4023	rBV	203	151	0.03%	0.004%
86	14.658	4141	4142	4143	rBV	224	78	0.01%	0.002%
87	14.719	4158	4161	4163	rVB	301	147	0.03%	0.004%
88	14.732	4163	4165	4168	rBV	148	75	0.01%	0.002%
89	14.751	4168	4171	4174	rVB	285	176	0.03%	0.004%
90	14.777	4175	4179	4184	rBV2	358	381	0.07%	0.009%
91	14.851	4199	4202	4207	rBV	405	341	0.06%	0.008%
92	14.928	4223	4226	4228	rBV	266	173	0.03%	0.004%
93	15.089	4274	4276	4278	rBV2	354	218	0.04%	0.005%
94	15.243	4322	4324	4326	rBV	321	173	0.03%	0.004%




Sum of corrected areas: 4106216

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
Data File : VU053249.D
Acq On : 17 Mar 2023 00:33
Operator : JC/MD
Sample : 01930-20 200X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EYFF9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
Data File : VU053249.D
Acq On : 17 Mar 2023 00:33
Operator : JC/MD
Sample : 01930-20 200X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EYFF9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU031623\
Data File : VU053249.D
Acq On : 17 Mar 2023 00:33
Operator : JC/MD
Sample : 01930-20 200X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EYFF9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM031523WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------